SAFETY DATA SHEET

Issuing Date No data available Revision Date 24-May-2017 Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name: ECOS Window/Glass Cleaner (9300)

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Glass Cleaner - Non-Aerosol

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier NameVenus Labs/dba Earth Friendly ProductsSupplier Address111. S Rohlwing Rd Addison, IL 60101

Supplier Phone Number Phone: 800-451-9304 **Emergency telephone number** Chemtrec: 800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS Label elements, including precautionary statements

| Emergency Overview | | | |
|--------------------|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |



The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Clear Physical State Liquid Odor Vinegar

Precautionary Statements - Prevention

Obtain special instructions before use

Precautionary Statements - Response

None

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

1.25% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Harmful to aquatic life with long lasting effects May cause slight eye irritation

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-----------------------|------------|----------|--------------|
| Ethyl alcohol | 64-17-5 | 1 - 5 | * |
| Coco-glucoside | 68515-73-1 | 0.1-1 | * |
| Acetic Acid (Vinegar) | 8028-52-2 | 0.1-1 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and If

irritation persists consult a doctor/physician.

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. May

cause an allergic skin reaction. In the case of skin irritation or allergic reactions

see a physician.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person.

Most important symptoms and effects, both acute and delayed



Most Important Symptoms and

Effects

No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Uniform Fire Code Irritant: Liquid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upSoak up with inert absorbent material. Pick up and transfer to properly labeled containers.



7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|----------------|---------------------------------------|-----------------------------|
| Ethyl alcohol | STEL: 1000 ppm | TWA: 1000 ppm | IDLH: 3300 ppm 10% LEL |
| 64-17-5 | | TWA: 1900 mg/m ³ | TWA: 1000 ppm |
| | | (vacated) TWA: 1000 ppm | TWA: 1900 mg/m ³ |
| | | (vacated) TWA: 1900 mg/m ³ | _ |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers Eyewash

stations Ventilation

systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur:. Wear safety glasses with side shields (or goggles). None

required for consumer use.

Skin and Body ProtectionNo special protective equipment required.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Take off

contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Liquid

AppearanceClearOdorVinegar

ColorNo information availableOdor ThresholdNo information available



None known

None known

Propert Values Remarks/ Method

у рН 3 None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known No data available None known **Flash Point Evaporation** No data available Rate Flammability (solid, None known No data available None known gas)

Flammability Limit in Air

Upper flammability limit No data available Lower flammability limit No data available Vapor pressure No data available Vapor density No data available

Specific Gravity 1.00

None known Water Solubility Miscible in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Explosive properties No data available **Oxidizing Properties** No data available

Other Information

Softening Point No data available **VOC Content (%)** No data available **Particle Size** No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure



Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye Contact Specific test data for the substance or mixture is not available. No adverse reaction expected

Skin Contact Specific test data for the substance or mixture is not available. Not expected to be a skin

irritant based on components. Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|-----------|-------------|------------------------|
| Ethyl alcohol | - | - | = 124.7 mg/L (Rat) 4 h |
| 64-17-5 | | | |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|----------------------|-------|---------|-------|------|
| Ethyl alcohol 64-17- | A3 | Group 1 | Known | X |
| 5 | | | | |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity No known effect based on information supplied. Ethanol has been shown to be a

reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown

to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Target Organ Effects Blood. Central Nervous System (CNS). Eyes. Liver. Reproductive System. Respiratory

system. Skin.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information



The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist)

4,988.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to | Daphnia Magna (Water |
|---------------|-------------------|---------------------------|--------------------------|-------------------------|
| | | | Microorganisms | Flea) |
| Ethyl alcohol | | 96h LC50: > 100 mg/L | EC50 = 34634 mg/L 30 min | 48h LC50: 9268 - 14221 |
| 64-17-5 | | (Pimephales promelas) 96h | EC50 = 35470 mg/L 5 min | mg/L 48h EC50: = 2 mg/L |
| | | LC50: 13400 - 15100 mg/L | | 24h EC50: = 10800 mg/L |
| | | (Pimephales promelas) 96h | | |
| | | LC50: 12.0 - 16.0 mL/L | | |
| | | (Oncorhynchus mykiss) | | |

Persistence and Degradability

No information available.

Bioaccumulation

| Chemical Name | Log Pow |
|----------------------|---------|
| Ethyl alcohol 64-17- | -0.32 |
| 5 | |

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 561

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste |
|----------------------|----------------------------|
| Ethyl alcohol 64-17- | Toxic |
| 5 | Ignitable |

14. TRANSPORT INFORMATION



DOT NOT REGULATED

Proper Shipping Name NON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations



California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

| Chemical Name | California Proposition 65 | |
|-------------------------|---------------------------|--|
| Ethyl alcohol - 64-17-5 | Carcinogen | |
| | Developmental | |

U.S. State Right-to-Know Regulations

.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|---------------|------------|---------------|--------------|--------------|----------|
| Ethyl alcohol | | X | | | |
| 64-17-5 | | | | | |

International Regulations

Mexico

National occupational exposure limits

| _ | Component | Carcinogen Status | Exposure Limits |
|---|-------------------|-------------------|------------------------------------|
| | Ethyl alcohol | | Mexico: TWA 1000 ppm |
| 6 | 34-17-5 (1 - 5) | | Mexico: TWA 1900 mg/m ³ |

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Non-controlled

| | 16. OTHER INFORMATION | | | |
|------|-----------------------|----------------|-------------------|------------------------------------|
| NFPA | Health Hazards 1 | Flammability 1 | Instability 0 | Physical and Chemical Hazards - |
| HMIS | Health Hazards 1 | Flammability 1 | Physical Hazard 0 | Personal Protection |

Revision Date 24-May-2017

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

