



Paxton LED Disk Light ASSEMBLY/INSTALLATION INSTRUCTIONS

Item # 588152 & 588160: Paxton LED Disk Light

Please read carefully and save these instructions, as you may need them at a later date.

CAUTION

WARNING: Risk of Fire. Min 90°C supply conductors. Consult a qualified electrician to ensure correct branch circuit conductor.

Turn off the main power at the circuit breaker before installing the fixture, in order to prevent possible shock.

GENERAL

All electrical connections must be in accordance with local and National Electrical Code (N.E.C.) standards. If you are unfamiliar with proper electrical wiring connections obtain the services of a qualified electrician.

Remove the fixture and the mounting package from the box and make sure that no parts are missing by referencing the illustrations on the installation instructions.

DIMMING

This product is designed to be compatible with many ELV/Reverse Phase controls and compatible with most residential type dimmers available on the market:

The following is a partial list of known compatible dimmer controls

Lutron: CTCL-153P/ MACL-153M/ PD-6WCL/ TGCL-153P/ SCL-153P/ DV600P ,

Leviton: DDMX

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation.

Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.


ASSEMBLY AND INSTALLATION

Turn off the power at fuse or circuit breaker.

1. Attach two mounted screws into outlet box leaving enough of screw exposed to engage keyholes in the top of disk light.
2. Provide electrical service according to the "National Electrical Code" or your local electrical code to the outlet box.
3. Connect supply wires to fixture wires and insulate with proper size wire nuts .
4. Connect incoming ground wire (green or bare) to fixture ground wire (green or bare).
5. Connect incoming neutral (white) wire to fixture white wire.
6. Connect incoming hot (typically black) wire to fixture black wire.
7. Raise the disk light to the outlet box and tighten screws.
8. Twist the lens clockwise on disc light metal enclosure and lock the lens in place.

Turn on the power at fuse or circuit breaker

ASSEMBLY AND INSTALLATION (CONT.)



588152 & 588160

**IF IN DOUBT ABOUT ELECTRICAL INSTALLATION,
CONSULT A LICENSED ELECTRICIAN.**

Customer Service 1-800-558-8700