SAFETY DATA SHEET

Issuing Date 05-Sep-2017

Revision Date 04-Sep-2017

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION		
Product identifier		
Product Name	CR2032	
Other means of identification		
Product Code(s)	1416209	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Lithium Primary/Metal Batteries	
	No information available	
Restrictions on use		
Details of the supplier of the safety		
Supplier Identification	ChangZhou Anyida Power Technology Co., Ltd	
Address	ChangZhou Xinbei District TianShan Road No. 60 Changzhou	
	Jiangsu 213000	
	CN	
▼ !b	Phone:0519-83270441	
Telephone	j10732@163.com	
E-mail		
Emergency telephone number		
Company Emergency Phone Number	0519-83270441	
	2. HAZARDS IDENTIFICATION	

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A



Reproductive toxicity

Category 1B

This is a battery. In case of rupture: the above hazards exist.

Appearance No information available

Physical state Solid

Odor No information available

GHS Label elements, including precautionary statements

Danger

Hazard statements Harmful if swallowed Harmful if inhaled Causes skin irritation Causes serious eye irritation May damage fertility or the unborn child



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Harmful to aquatic life with long lasting effects.



Unknown acute toxicity 93.6 % of the mixture consists of ingredient(s) of unknown toxicity 6.6 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

93.6 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

62.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

62.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

61.6 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Iron	7439-89-6	52	-	-
Manganese dioxide	1313-13-9	30	-	-
Graphite	7782-42-5	4.6	-	-
Propylene carbonate	108-32-7	3	-	-
Lithium	7439-93-2	2	-	-
Ethylene glycol dimethyl ether	110-71-4	2	-	-
1,3-Dioxolane	646-06-0	1.3	-	-

4. FIRST AID MEASURES

First aid measures	
General advice	First aid is upon rupture of sealed battery. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. If breathing has stopped, give artificial respiration. Get medical attention immediately. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See section 8 for more information.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Specific hazards arising from

Large Fire

Treat symptomatically.

No information available.

5. FIRE-FIGHTING MEASURES Use extinguishing measures that are appropriate to local circumstances **Suitable Extinguishing Media** and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient. Do not scatter spilled material with high pressure water Unsuitable extinguishing media streams.

the chemical	
Hazardous Combustion Products	Carbon oxides
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	ct None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Avoid generation of dust. Do not breathe dust.
Personal precautions	Refer to protective measures listed in Sections 7 and 8.
Other Information <u>Methods and material for</u> <u>containment and cleaning up</u>	Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers
Methods for containment	
Methods for cleaning up	7. HANDLING AND STORAGE

	In case of rupture: Handle in accordance with good industrial hygiene and safety
	practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when
Precautions for safe handling	using this product. Remove contaminated clothing and shoes. Take off
	contaminated clothing and wash before reuse. Avoid breathing
Advice on safe handling	dust/fume/gas/mist/vapors/spray. Avoid generation of dust. Ensure adequate ventilation.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

Conditions for safe storage, including any incompatibilities

Storage Conditions

Page 4/11

of children. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	LV	0	SHA PEL		NIOSH IDLH	
Manganese dioxide 1313-13-9		TWA: 0.02 mg/m ₃ Mn respirable particulate matter TWA: 0.1 mg/m ₃ Mn inhalable particulate matter		(vacated) Ceiling: 5 mg/m₃ Ceiling: 5 mg/m₃ Mn		IDLH: 500 mg/m₃ Mn TWA: 1 mg/m₃ Mn STEL: 3 mg/m₃ Mn		
Graphite 7782-42-5		TWA: 2 mg/m ₃ respirable particulate matter all forms except graphite fibers		TWA: 5 m fracti (vacated) respirab (vacated) TV dus (vacated respirable	 WA: 15 mg/m₃ total dust synthetic WA: 5 mg/m₃ respirable fraction synthetic acated) TWA: 2.5 mg/m₃ respirable dust natural ated) TWA: 10 mg/m₃ total dust synthetic vacated) TWA: 5 mg/m₃ pirable fraction synthetic TWA: 15 mppcf natural 		IDLH: 1250 mg/m₃ TWA: 2.5 mg/m₃ respirable dust	
1,3-Dioxolane 646-06-0		TWA: 20 p	pm		-			
Chemical name		Alberta	British Co	olumbia	Ontario TWAEV	'	Quebec	
Manganese dioxide 1313-13-9	T	WA: 0.2 mg/m₃	TWA: 0.2 TWA: 0.0	2 mg/m₃	TWA: 0.02 mg/m TWA: 0.1 mg/m		TWA: 0.2 mg/m₃	
Graphite 7782-42-5	Т	ʿWA: 2 mg/m₃	TWA: 2	mg/m₃	TWA: 2 mg/m₃		TWA: 2 mg/m₃	
Ethylene glycol dimethyl ether 110-71-4					TWA: 5 ppm TWA: 18 mg/m₃ Skin	1		
1,3-Dioxolane 646-06-0		TWA: 20 ppm WA: 61 mg/m₃	TWA: 2	0 ppm	TWA: 20 ppm			

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.	
Hand protection	Wear suitable gloves. Impervious gloves.	
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.	
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	



General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Appearance Odor Color Odor Threshold

Property	V
рН	N
Melting / freezing point	١
Boiling point / boiling range	N
Flash Point	Ν
Evaporation Rate	Ν
Flammability (solid, gas)	Δ
Flammability Limit in Air	
Upper flammability limit	Ν
Lower flammability limit	Ν
Vapor pressure	١
Vapor density	Ν
Relative density	١
Water Solubility	- h
Solubility(ies)	٩
Partition coefficient: n-octanol/wat	erՒ
Autoignition temperature	Ν
Decomposition temperature	Ν
Kinematic viscosity	Ν
Dynamic viscosity	٢

Other Information Explosive properties Oxidizing properties Softening Point Molecular Weight VOC Content (%) Liquid Density Bulk Density Particle Size Particle Size Distribution

Solid No information available No information available No information available No information available

Values No data available

No data available No data available No data available No data available No data available No data available No data available No data available No data available No data available nsoluble in water No data available No data available

No information available No information available No information available No information available No information available No information available No information available No information available No information available

Remarks Method

None known None known None known None known None known None known

None known None known None known

None known None known None known None known None known

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat.



Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes	of exposure
Product Information	Product does not present an acute toxicity hazard based on known or supplied information In case of rupture:
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. Harmful by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). Irritating to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).
Information on toxicological	effects

Symptoms

Redness. May cause redness and tearing of the eyes. Coughing and/ or wheezing.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	862.00 mg/kg
ATEmix (dermal)	41,622.45 mg/kg
ATEmix (inhalation-gas)	5,217.00 mg/L
ATEmix (inhalation-dust/mist)	1.80 mg/L
ATEmix (inhalation-vapor)	12.75 mg/L

Unknown acute toxicity

93.6 % of the mixture consists of ingredient(s) of unknown toxicity

6.6 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

93.6 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

62.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

62.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

61.6 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Iron	= 30 g/kg(Rat)	-	-
Manganese dioxide	= 9000 mg/kg (Rat)	-	> 1500 mg/m₃ (Rat)4 h
Graphite	-	-	> 2000 mg/m₃ (Rat)4 h
Propylene carbonate	= 29000 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Ethylene glycol dimethyl ether	> 4000 mg/kg (Rat)= 775 mg/kg (Rat)	1000 - 2000 mg/kg(Rabbit)	20 - 63 mg/L (Rat)6 h
1,3-Dioxolane	= 3 g/kg (Rat)	= 8480 mg/kg (Rabbit) = 15 g/kg (Rat) = 8480 µL/kg (Rabbit)	= 20650 mg/m₃(Rat)4 h = 68.4 mg/L(Rat)4 h



Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin	Classification based on data available for ingredients. Irritating to skin. Classification based on data available for ingredients. Irritating to eyes. No information available.
sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available.
Reproductive toxicity	Classification based on data available for ingredients. Contains a known or suspected reproductive toxin.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Iron	-	96h LC50: = 13.6 mg/L (Morone saxatilis)	-	-
Graphite	-	96h LC50: > 100 mg/L (Danio rerio)	-	-
Propylene carbonate	72h EC50: > 500 mg/L (Desmodesmus subspicatus)	96h LC50: = 5300 mg/L (Leuciscus idus) 96h LC50: > 1000 mg/L (Cyprinus carpio)	EC50 > 10000 mg/L 17 h	48h EC50: > 500 mg/L

Persistence and Degradability No information available.

Bioaccumulation

Chemical name	Log Pow
Manganese dioxide	<0
Propylene carbonate	0.48
1,3-Dioxolane	-0.37

Mobility

No information available.

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused
productsDispose of in accordance with local regulations. Dispose of waste in accordance with
environmental legislation.



Contaminated packaging

Do not reuse empty containers.

141

California Waste Codes

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lithium	Corrosive
7439-93-2	Ignitable
	Reactive

14. TRANSPORT INFORMATION

Note:	The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule) Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"
DOT Proper Shipping Name Emergency Response Guide Number	NOT REGULATED NON-REGULATED 138
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Proper Shipping Name Hazard Class EmS-No.	Not regulated NON-REGULATED PER SP 188 N/A F-A, S-I
RID	Not regulated
ADR	Not regulated
ADN	Not regulated
	15. REGULATORY INFORMATION



Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories	
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances PICCS

 Philippines Inventory of Chemicals and Chemical Substances AICS

 Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Manganese dioxide - 1313-13-9	1313-13-9	30	1.0
Ethylene glycol dimethyl ether - 110-71-4	110-71-4	2	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.



U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Manganese dioxide 1313-13-9	Х		Х	Х	Х
Graphite 7782-42-5	Х	X	Х		
Lithium 7439-93-2	Х	Х	Х		
Ethylene glycol dimethyl ether 110-71-4	Х	X	Х	Х	Х
1,3-Dioxolane 646-06-0	Х	X	Х		

16. OTHER INFORMATION				
NFPA	Health hazards 1	Flammability 0	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 0	zards 0 Flammability 0 Physical hazards 0		Personal Protection X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501			
Issuing Date	05-Sep-2017			
Revision Date	04-Sep-2017			
Revision Note	No inforr	nation available		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet