

Page 1 of 6 **GG-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 4/24/2018 SDS Revision: 4.4 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **GRANITE GOLD GROUT CLEANER** 1.2 Chemical Name: **Aqueous Solution** 1.3 Synonyms GG00371 1.4 Trade Names Granite Gold Grout Cleaner (207-006004-1) 1.5 Product Use: Cleaner 1.6 Distributor's Name: Granite Gold, Inc. 1.7 Distributor's Address 9170 Chesapeake Drive, San Diego CA 92123 USA Emergency Phone: 1.8 CHEMTREC +1 (703) 527-3887 / +1 (800) 424-9300 1.9 Business Phone / Fax: Tel: +1 (858) 499-8933 2. HAZARDS IDENTIFICATION This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the 2.1 Hazard Identification: classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). This product is classified as hazardous according to the OSHA 2012 Hazardous Communication 2012 final rule. WARNING! HARMFUL IF SWALLOWED. HARMFUL IN CONTACT WITH SKIN. CAUSES SERIOUS EYE **IRRITATION. HARMFUL IF INHALED.** Classification: Acute Tox. 4; Skin Irrit. 4; Eye Irrit. 2A; Acute Tox. 4 2.2 Label Elements: Hazard Statements (H): H302 - Harmful if swallowed. H312 - Harmful in contact with skin. H319 -Causes serious eye irritation. H332 - Harmful if inhaled. Precautionary Statements (P): P261 - Avoid breathing dust/fume/vapor/spray. P264 - Wash with soap and water thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/ eye protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 - Rinse mouth. P302+P352 - IF ON SKIN: Wash with plenty of water. P312 - Call a POISON CENTER/doctor if you feel unwell. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P321 - Specific treatments see this container label and section 4 First Aid of this SDS. P312 - Call a POISON CENTER/doctor if you feel unwell. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and was it before reuse. P501 -Dispose of contents/ container to an approved waste disposal plant. 23 Other Warnings: In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. Aqueous solution. Keep out of reach of children. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-CHEMICAL NAME(S) EINECS No TLV STEL PEAK PEL STEL IDLH OTHER CAS No. RTECS No. TWA % STEL 7732-18-5 ZC0110000 231-191-2 60-100 NE NE NF NF NF NE NE NE WATER 112-34-5 KJ910000 203-961-6 1.0-5.0 NA NA NF NF NF NA NA NA GLYCOL ETHER DB Eye Irrit. 2; H319 6834-92-0 VV9275000 229-912-9 0.1-1.0 NA NA NF NF NF NA NA NA SODIUM METASILICATE Acute Tox. 4; Skin Corr. 1B; Serious Eye Dam. 1; STOT SE 3; H302, H314, H335 KJ5775000 205-483-3 0.1-1.0 3 NA 3 NF NF 3 NA 30 3 NIOSH 141-43-5 MONOETHANOLAMINE Acute Toxicity-Oral 4; Acute Toxicity-Dermal 4; Skin Corrosion 1B; Acute Toxicity-Inhalation 4; H302, H312, H314, H332 NA NA 0.1-1.0 NA NA NF NF NF NA NA NA NA TOMADOL® 901 Acute Tox. Oral 4; H302 RR-38512-6 NA NA 0-0.1 NA NA NF NF NF NA NA NA CITRUS FRAGRANCE (PARFUM)



Page 2 of 6 **GG-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SD

SDS Revision: 4.4 SD

SDS Revision Date: 4/24/2018

	1	T	4. FIRST AID MEASURES				
4.1	First Aid:	Ingestion: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.					
		<u>Eyes</u> :	Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention.				
		<u>Skin</u> :	Remove contaminated clothing and wash affected area prompt medical attention. Do not wear contaminated clot				
		Inhalation:	Remove victim to fresh air at once. If breathing is dif immediate medical attention. If breathing stops, perform			mental oxyge	n and seek
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and	l/or diarrhea	a.		
		Eyes:	Moderately irritating to the eyes.	41		This was done	
		<u>Skin</u> :	This product can cause mild, transient skin irritation w allergic skin reactions (e.g., rashes, welts, dermatitis) upo	on prolonge	d or repeated	exposure.	
4.3	Symptoms of Overexposure:	Inhalation:	Vapors of this product may be irritating to the nose, throa f skin overexposure may include redness, itching, and irrita				system.
1.0		cause redne	ss, itching and watering. The product can cause allergic s repeated exposure.				
4.4	Acute Health Effects:	Moderate irr	itation to eyes and skin near affected areas. Additio dizziness, headaches and nausea.	nally, high	concentration	ns of vapors	can cause
4.5	Chronic Health Effects:	The material	may accentuate any pre-existing dermatitis condition.				
4.6	Target Organs:		Respiratory System.				
4.7	Medical Conditions Aggravated by Exposure:		n pre-existing skin disorders, eye problems, or impaired tion may be more susceptible to the effects of the	HEALTH FLAMM/			2
		substance.		PHYSIC	AL HAZARD	DS	0
					TIVE EQUI		B
			·	EYES	SKIN		
				-			
			5. FIREFIGHTING MEASURES				
5.1	Fire & Explosion Hazards:		: is a non-flammable liquid. When involved in a fire, t to form toxic gases (e.g., CO, CO ₂ , NO _x).	his product	t may ignite	and	
5.2	Extinguishing Methods:	,	if permitted), Dry Chemical, Foam.			_	
5.3	Firefighting Procedures:		ed in a fire, this product may and decompose to produce ca			2	
			ders should wear eye protection. Structural firefighters	must wear	SCBAs and	tull 🔨 🥆	. <u> </u>
		protective ec	upment. Use a water spray or fog to reduce or direct ctually extinguishing a fire involving this product.			tbe	\checkmark
		protective ec effective in a	uipment. Use a water spray or fog to reduce or direct	vapors. W		tbe	\sim
6.1	Spills:	protective ed effective in a Before clear	uipment. Use a water spray or fog to reduce or direct ctually extinguishing a fire involving this product.	vapors. W	/ater may not		I Protective
6.1	Spills:	Before clear Equipment. For <u>small sp</u> Maximize ve absorbent m local, state a soap. Remo For <u>large sp</u> material (e.g recovery or o promptly and	uipment. Use a water spray or fog to reduce or direct ctually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASUP ning any spill or leak, individuals involved in spill clea	vapors. W RES nup must v al protectiv urces of ig disposal. E tside of con reuse. ted individu rery and cle or proper dis	/ater may not wear appropri- ve equipment nition. Remo Dispose of pro- ntainer with p uals. Dike ar anup. Transi sposal. Remo	riate Persona c (e.g., goggl ove spilled n operly in acco lenty of warn d contain sp fer liquid to co ove contamina	es, gloves). naterial with rdance with n water and ill with inert ontainers for ited clothing
6.1	Spills:	Before clear Equipment. For <u>small sp</u> Maximize ve absorbent m local, state a soap. Remo For <u>large sp</u> material (e.g recovery or o promptly and and open bo	auipment. Use a water spray or fog to reduce or direct ctually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASUP hing any spill or leak, individuals involved in spill cleat CAUTION – may be slippery if spilled. <u>bills</u> (e.g., < 1 gallon (3.8 L)) wear appropriate person entilation (open doors and windows) and secure all so aterial and place into appropriate closed container(s) for and federal regulations. Wash all affected areas and ou ve any contaminated clothing and wash thoroughly before <u>bills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotec J., sand or earth). Use ONLY non-sparking tools for recov disposal and solid diking material to separate containers for d wash affected skin areas with soap and water. Keep s dies of water.	vapors. W RES nup must al protectiv urces of ig disposal. E tside of cor reuse. ted individu rery and cle proper dis pills and cle	/ater may not wear appropri- ve equipment nition. Remo Dispose of pro- ntainer with p uals. Dike ar anup. Transi sposal. Remo	riate Persona c (e.g., goggl ove spilled n operly in acco lenty of warn d contain sp fer liquid to co ove contamina	es, gloves). naterial with rdance with n water and ill with inert ontainers for ited clothing
6.1	Spills: Work & Hygiene Practices:	protective ec effective in a Before clear Equipment. For <u>small sp</u> Maximize ve absorbent m local, state a soap. Remo For <u>large sp</u> material (e.g recovery or o promptly and and open bo	auipment. Use a water spray or fog to reduce or direct ctually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASUP ing any spill or leak, individuals involved in spill clea CAUTION – may be slippery if spilled. <u>bills</u> (e.g., < 1 gallon (3.8 L)) wear appropriate person intilation (open doors and windows) and secure all so aterial and place into appropriate closed container(s) for and federal regulations. Wash all affected areas and ou ve any contaminated clothing and wash thoroughly before <u>bills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotec J, sand or earth). Use ONLY non-sparking tools for recov disposal and solid diking material to separate containers for d wash affected skin areas with soap and water. Keep s dies of water. HANDLING & STORAGE INFORMA hygiene practices. Avoid direct skin contact. Wash han	vapors. W RES nup must v al protectiv urces of ig disposal. I tside of con reuse. ted individu rery and cle or proper dis pills and cle TION ds thorough	/ater may not wear appropri- ve equipment nition. Remo Dispose of pro- ntainer with p lals. Dike ar eanup. Trans- sposal. Remo eaning runoffs	riate Persona c (e.g., goggl ove spilled n operly in accc lenty of warn nd contain sp fer liquid to co ove contamina s out of munic g this product	es, gloves). naterial with rdance with n water and ill with inert ontainers for ited clothing cipal sewers and before
7.1	Work & Hygiene Practices:	protective ec effective in a Before clear Equipment. For <u>small sp</u> Maximize ve absorbent m local, state a soap. Remo For <u>large sp</u> material (e.g recovery or o promptly and and open bo	auipment. Use a water spray or fog to reduce or direct ctually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASUP ing any spill or leak, individuals involved in spill clea CAUTION – may be slippery if spilled. bills (e.g., < 1 gallon (3.8 L)) wear appropriate person intilation (open doors and windows) and secure all so aterial and place into appropriate closed container(s) for and federal regulations. Wash all affected areas and ou ve any contaminated clothing and wash thoroughly before bills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotec pills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotec pills (e.g., sand or earth). Use ONLY non-sparking tools for recovd disposal and solid diking material to separate containers for d wash affected skin areas with soap and water. Keep s dies of water. HANDLING & STORAGE INFORMA hygiene practices. Avoid direct skin contact. Wash han ing, or smoking. Good personal hygiene practices, such d clothing, are recommended.	vapors. W RES nup must v al protectiv urces of ig disposal. I tside of con reuse. ted individu rery and cle or proper dis pills and cle TION ds thorough	/ater may not wear appropri- ve equipment nition. Remo Dispose of pro- ntainer with p lals. Dike ar eanup. Trans- sposal. Remo eaning runoffs	riate Persona c (e.g., goggl ove spilled n operly in accc lenty of warn nd contain sp fer liquid to co ove contamina s out of munic g this product	es, gloves). naterial with rdance with n water and ill with inert ontainers for ited clothing cipal sewers and before
		protective ec effective in a Before clear Equipment. For <u>small sp</u> Maximize ve absorbent m local, state a soap. Remo For <u>large sp</u> material (e.g recovery or promptly and and open bo	auipment. Use a water spray or fog to reduce or direct ctually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASUP ing any spill or leak, individuals involved in spill clea CAUTION – may be slippery if spilled. <u>bills</u> (e.g., < 1 gallon (3.8 L)) wear appropriate person intilation (open doors and windows) and secure all so aterial and place into appropriate closed container(s) for and federal regulations. Wash all affected areas and ou ve any contaminated clothing and wash thoroughly before <u>bills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotec I, sand or earth). Use ONLY non-sparking tools for recov disposal and solid diking material to separate containers for d wash affected skin areas with soap and water. Keep s dies of water. HANDLING & STORAGE INFORMA hygiene practices. Avoid direct skin contact. Wash han ing, or smoking. Good personal hygiene practices, such	vapors. W RES nup must v al protectiv urces of ig disposal. I tside of con reuse. ted individu rery and cle or proper dis pills and cle TION ds thorough as washing	/ater may not wear appropri- ve equipment nition. Remo Dispose of pro- ntainer with p ials. Dike ar eanup. Transt sposal. Remo eaning runoffs posal. Remo eaning runoffs any skin cor	riate Persona c (e.g., goggl ove spilled n operly in accc lenty of warn nd contain sp fer liquid to co ove contamina s out of munic g this product ntact areas ar	es, gloves). naterial with rdance with n water and ill with inert ontainers for ted clothing cipal sewers and before ad removing



Page 3 of 6 GG-007

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 4/24/2018 SDS Revision: 4.4 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m³) ES-ES-CHEMICAL NAME(S) TLV STEL ES-TWA STEL PEAK PEL STEL IDLH MONOETHANOLAMINE NA NF NF NA 3 NIOSH 30 3 3 82 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Controls: exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes 8.3 Respiratory Protection: Not required under normal conditions of use. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eye Protection: Avoid eye contact. Protective eyewear that conforms to ANSI Z87.1 (or other applicable and appropriate standards) should be used when handling any chemical product. Hand Protection: 8.5 Use gloves constructed of chemical resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected. 8.6 Body Protection: Not required under normal conditions of use. Use appropriate protective equipment (e.g., apron) as necessary to prevent or reduce exposure if frequent or prolonged contact is expected. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance Clear to slightly hazy liquid 9.2 Odor Citrus scent 9.3 Odor Threshold: NA 9.4 pH: 10 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling 110 °C (230 °F) Range: 9.7 Flashpoint NA 9.8 Upper/Lower Flammability ND Limits. 9.9 Vapor Pressure: ND 9.10 Vapor Density: NA 9.11 Relative Density: 1.01 9.12 Solubility 1.000 @ 25 °C (77 °F) 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature NA 9.15 Decomposition Temperature: NA Viscosity: 9.16 NA 9.17 Other Information: 0% VOC **10. STABILITY & REACTIVITY** Stability: 10.1 Stable under normal conditions of use 10.2 Hazardous Decomposition None known Products 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid Strong oxidizers and reducing agents 10.5 Incompatible Substances: Strong oxidizing agents, strong acids and bases 11. TOXICOLOGICAL INFORMATION 11.1 Routes of Entry: Inhalation: YES Absorption: YES Ingestion: NO 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is presented below: Butoxyethanol: LD₅₀ (oral, rat) = 470 mg/kg; LC₅₀ (inh-4h, rat) = 450 ppm; ACGIH – Biological Exposure Indices (BEI) 200 mg/kg Acute Toxicity 11.3 See Section 4.4 11.4 Chronic Toxicity See Section 4.5 11.5 Suspected Carcinogen: No 116 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. 11.7 Irritancy of Product See Section 4.2 11.8 **Biological Exposure Indices** NE 11.9 Physician Recommendations: Treat symptomatically.



Page 4 of 6 **GG-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 4.4

SDS Revision Date: 4/24/2018

		12. ECOLOGICAL INFORMATION	
12.1	Environmental Stability:	There are no specific data available for this product.	
12.2	Effects on Plants & Animals:	There are no specific data available for this product.	
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.	
		13. DISPOSAL CONSIDERATIONS	
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations.	
13.2	Special Considerations:	NA	
		14. TRANSPORTATION INFORMATION	
		ber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.	
14.1	49 CFR (GND):	NOT REGULATED	
14.2	IATA (AIR):	NOT REGULATED	
14.3	IMDG (OCN):	NOT REGULATED	
14.4	TDGR (Canadian GND):	NOT REGULATED	
14.5	ADR/RID (EU):	NOT REGULATED	
14.6	SCT (MEXICO):	NOT REGULATED	
14.7	ADGR (AUS):	NOT REGULATED	
		15. REGULATORY INFORMATION	
15.1	SARA Reporting Requirements:		
15.2	SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.	
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.	
15.4	CERCLA Reportable Quantity:	NA	
15.5	Other Federal Requirements:		
10.0	ounor rodorarroquironiono.	ral Requirements: This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.	
15.6	Other Canadian Regulations:	ons: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.	
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or other	
		reproductive harm. For more information go to www.P65Warnings.ca.gov.	
15.8	Other Requirements:	NA	



Page 5 of 6 **GG-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 4.4

SDS Revision Date: 4/24/2018

	16. OTHER INFORMATION				
16.1	Other Information:	WARNING! HARMFUL IF SWALLOWED. CAUSES SERIOUS EYE IRRITATION. HA Avoid breathing dust/fume/vapor/spray. Was only outdoors or in a well-ventilated area. Av ON SKIN: Wash with soap and water. IF IN lenses if present and easy to do – continue ri breathing. Call a POISON CENTER/docto	HARMFUL IN CONTACT WITH SKIN. CAUSE SKIN IRRITATION. ARMFUL IF INHALED. CAUTION – MAY BE SLIPPERY IF SPILLED. the exposed skin areas thoroughly with soap and water after handling. Use roid eye contact. Wear protective gloves/eye protection/face protection. IF EYES: Rinse continuously with water for several minutes. Remove contact insing. IF INHALED: Remove person to fresh air and keep comfortable for rr if you feel unwell. If skin irritation or a rash occurs – Get medical place. Keep cool. Use only as directed. KEEP OUT OF REACH OF		
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Granite Gold's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.			
16.4	Prepared for:	Granite Gold, Inc. 9170 Chesapeake Drive San Diego, CA 92123 USA Tel: +1 (858) 499-8933 http://www.granitegold.com/			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting		



Page 6 of 6 GG-007

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 4.4

SDS Revision Date: 4/24/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit	
STEL	Short Term Exposure Limit	
TLV	Threshold Limit Value	
TWA	Time Weighted Average	

FIRST AID MEASURES:


		Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
--	--	--

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:



OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition Minimum temperature required to initiate combustion in air with no other s			
Temperature	of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

HAZARD RATINGS:

0	Minimal Hazard	FL
1	Slight Hazard	FL.
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	1
W	Use No Water	HE
ох	Oxidizer	
TREFOIL	Radioactive	



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{lo} , LD _{lo} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koo	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	IIS Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
тс	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	DSL Canadian Domestic Substance List	
NDSL	NDSL Canadian Non-Domestic Substance List	
PSL	PSL Canadian Priority Substances List	
TSCA U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)	
WGK		

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٢		Ð	(
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment