# SOLAR MOLE CHASER



### **∕ NARNING**

This product contains or, when used, produces a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. (California Health & Safety Code § 25249.5, et seq.)

\*Actual product may vary slightly

Please carefully read and save these instructions before appempting to assemble, maintain, install, or operate this product. Observe all safety information to protect yourself and others. Failure to observe the instructions may result in property damage and/or personal injury. Please keep instructions for future reference.

For warranty purchases, please keep your dated proof of purchase. File or attach to the manual for safe keeping.

The Solar Mole Chaser is effective at repelling burrowing pests such as moles, gophers, and other rodents by emitting a sonic pulse which pests find extremely piercing thereby repelling them. Pests perceive a danger zone causing them to evacuate the area covered by the vibrating sonic sound. The vibrating sonic sound pulses at 30-second intervals and covers a surface area of over 6000 sq.ft.

The Solar Mole Chaser emits a vibration in all directions. For best results, it is recommended to use 2 units approximately 60 ft. apart in the highest risk area.

The Solar Mole Chaser works with a solar charged battery. The solar cell charges the battery during the day (even works under cloudy conditions) and runs the unit; while night time operation is powered by the high efficiency battery .

# SPECIFICATIONS:

Rated voltage: 1.2V	Battery: 1 X 1.2V 600mA Ni-Cd rechargeable battery
Frequency: 400Hz-1000Hz	Range: >6000 sq. ft

## NOTES:

- Remove unit in extreme weather conditions like hail, ice, snow, or flooding. Although unit is weatherproof, avoid direct exposure to sprinkling systems.
- 2. For Hard Earth Locations, It is recommended to dig small opening to place solar mole chaser into the earth.
- 3. Do not use a hammer or mallet or excessive force to insert the solar mole chaser this may damage the unit.
- 4. Clean the solar cell cover periodically with a damp cloth to ensure maximum sun exposure.

### WARNING:

- 1. Always wear ANSI approved safety goggles when setting up this product.
- 2. Never allow children to play with this product.
- 3. Do not handle live moles, gophers and other rodents as they can be dangerous and may carry diseases.

### INSTALLATION PROCEDURES (SEE DIAGRAM BELOW):

- Press the ON/OFF button underneath the head. You can then hear sound, which indicates the product is under proper working condition. It is recommended to charge the product for at least one full sunny day before its first operation.
- 2. Insert spike into lawn paying attention not to damage unit. The spike should be firmly planted while leaving the base of the head at approximately one inch from ground level.
- 3. The built-in battery might need to be replaced once every year. Release the 6 screws besides the ON/OFF button, remove the cover, and then replace the old battery with a 1.2V AA size rechargeable battery. Please put the cover back on and tighten the screws after battery is replaced.



# Limited Manufacturer Warranty

FOT makes every effort to ensure that this product meets high quality and durability standards. FOT warrants to the original retail consumer a 1-year limited warranty from the date the product was purchased at retail and each product is free from defects in materials. Warranty does not apply to defects due directly or indirectly to misuse, abuse, negligence or accidents, repairs or alterations, or a lack of maintenance. FOT shall in no event be liable for death, injuries to persons or property, or for incidental, special or consequential damages arising from the use of our products. To receive service under warranty, the original manufacturer part must be returned for examination by an authorized service center. Shipping and handling charges may apply. If a defect is found, FOT will either repair or replace the product at its discretion.

# DO NOT RETURN TO STORE

For Customer Service:

Email: customerservice@focus-ontools.com or Call 1-800-348-5004