

| Version 4.0 | Revision Date 05/24/2019 | Print Date 06/03/2019 |
|-------------|--------------------------|-----------------------|
| | | |

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Material name | : | ZEP GROUT CLEANER & BRIGHTENER |
|------------------------------|------|---|
| Material number | : | ZU104632 |
| Manufacturer or supplier's o | leta | ails |
| Company | : | Zep Inc. |
| Address | : | 350 Joe Frank Harris Parkway, SE Emerson, GA 30137 |
| Telephone | : | 404-352-1680 |

Emergency telephone numbers

| For SDS Information | : | Compliance Services 1-877-428-9937 |
|-------------------------|---|--|
| For a Medical Emergency | : | 877-541-2016 Toll Free - All Calls Recorded |
| For a Transportation | : | CHEMTREC: 800-424-9300 - All Calls Recorded. |
| Emergency | | In the District of Columbia 202-483-7616 |

Recommended use of the chemical and restrictions on use

Recommended use : Bathroom Care Maintenance

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | liquid |
|------------|--------------------------|
| Colour | colourless, light yellow |
| Odour | characteristic |

| GHS Classification | |
|--------------------------------------|---|
| Skin corrosion Serious eye damage | : Category 1 : Category 1 |
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Danger |
| Hazard statements | : H314 Causes severe skin burns and eye damage. |
| Precautionary statements | : Prevention: |
| | |



| Version 4.0 | Revision Date 05/24/2019 | Print Date 06/03/2019 |
|-------------|---|---|
| | P264 Wash skin thoroughly after P280 Wear protective gloves/ proprotection/ face protection. Response: P301 + P330 + P331 IF SWALLC induce vomiting. P303 + P361 + P353 IF ON SKIN immediately all contaminated clot water/shower. P304 + P340 + P310 IF INHALEI and keep comfortable for breathin POISON CENTER/doctor. P305 + P351 + P338 + P310 IF II water for several minutes. Removand easy to do. Continue rinsing. CENTER/doctor. P363 Wash contaminated clothin Disposal: P501 Dispose of contents/contair regulation. | DWED: Rinse mouth. Do NOT N (or hair): Take off thing. Rinse skin with D: Remove person to fresh air ng. Immediately call a N EYES: Rinse cautiously with ve contact lenses, if present Immediately call a POISON g before reuse. |
| | | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| Chemical name | CAS-No. | Concentration [%] |
|------------------------------|------------|-------------------|
| urea hydrochloride | 506-89-8 | >= 10 - < 30 |
| hydrochloric acid | 7647-01-0 | >= 1 - < 5 |
| Alcohols, C9-11, ethoxylated | 68439-46-3 | >= 1 - < 5 |

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

| General advice | Move out of dangerous area. Get medical attention immediately. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
|-------------------------|---|
| If inhaled | If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician. |



| Version 4.0 | Revision Date 05/24/2019 | Print Date 06/03/2019 |
|---|--|---|
| | | |
| In case of eye contact | Small amounts splashed into eye tissue damage and blindness. Rinse immediately with plenty of for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing If eye irritation persists, consult a | water, also under the eyelids, g. |
| If swallowed | : Keep respiratory tract clear. DO NOT induce vomiting unless physician or poison control cente Do not give milk or alcoholic beve Never give anything by mouth to If symptoms persist, call a physic Take victim immediately to hospi | r. erages. an unconscious person. sian. |
| Most important symptoms and effects, both acute and delayed | Effects are dependent on exposu contact time). Effects are immediate and delaye Symptoms may include blistering Causes severe skin burns and ex Review section 2 of SDS to see a | ed. , irritation, burns, and pain. ye damage. |
| Notes to physician | : Treat symptomatically. Symptom | ns may be delayed. |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : | Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet |
|--------------------------------------|---|---|
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during firefighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Carbon dioxide (CO2) Carbon monoxide Smoke Chlorine compounds |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires. |
| Special protective equipment | : | Wear self-contained breathing apparatus for firefighting if |



Version 4.0

Revision Date 05/24/2019

Print Date 06/03/2019

for firefighters

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid dust formation. |
|---|---|---|
| Environmental precautions | : | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. |
|-----------------------------|---|
| Conditions for safe storage | Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. |
| Materials to avoid | Store and keep away from bleach. Oxidizing agents Store and keep away from bases and alkalies. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-------------------|-----------|-------------------------------------|---|-----------|
| hydrochloric acid | 7647-01-0 | С | 2 ppm | ACGIH |
| | | С | 5 ppm 7 mg/m3 | NIOSH REL |
| | | С | 5 ppm | OSHA Z-1 |



| sion 4.0 | Revision | Date 05/24/2019 | Print Da | ate 06/03/2019 |
|----------------------------|--|--|--|----------------|
| | | C | 7 mg/m3 5 ppm | OSHA P0 |
| | | - | 7 mg/m3 | |
| | | PEL | 0.3 ppm 0.45 mg/m3 | CAL PEL |
| | | С | 2 ppm | CAL PEL |
| Engineering measures | : effective v | ventilation in all pro | ocessing areas | |
| Personal protective equipn | nent | | | |
| Respiratory protection | ventilation | is provided or ex | nless adequate loca posure assessment commended exposu | demonstrates |
| Hand protection | | | | |
| Material Remarks | : The suital | Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves. | | |
| Eye protection | include: e with pure Tightly fitt Wear face | Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. | | |
| Skin and body protection | | ody protection acc | cording to the amoun ous substance at the | |
| Hygiene measures | When usi | When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. | | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : liquid |
|------------------------------|----------------------------|
| Colour | : colourless, light yellow |
| Odour | : characteristic |
| Odour Threshold | : No data available |
| рН | : <1 |
| Melting point/freezing point | : No data available |
| Boiling point | : 100 °C |
| Flash point | : |
| | does not flash |
| Evaporation rate | : No data available |



| Version 4.0 | Revision Date 05/24/2019 | Print Date 06/03/2019 |
|--|--------------------------|-----------------------|
| Upper explosion limit | : No data available | |
| Lower explosion limit | : No data available | |
| Vapour pressure | : not determined | |
| Relative vapour density | : No data available | |
| Density | : 1.06 g/cm3 | |
| Solubility(ies) | | |
| Water solubility | : soluble | |
| Solubility in other solvents | : not determined | |
| Partition coefficient: n- octanol/water | : No data available | |
| Auto-ignition temperature | : not determined | |
| Thermal decomposition | : No data available | |
| Viscosity | | |
| Viscosity, kinematic | : No data available | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : Stable |
|------------------------------------|---|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed. |
| Conditions to avoid | : Extremes of temperature and direct sunlight. |
| Incompatible materials | : Oxidizing agents Bases |
| Hazardous decomposition products | : Carbon oxides Nitrogen oxides (NOx) Chlorine |

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

| Aggravated Medical Condition | : | None known. |
|---------------------------------|---|---|
| Symptoms of Overexposure | : | Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. |



| Version 4.0 | Revision Date 05/24/2019 | Print Date 06/03/2019 |
|---|--|------------------------------|
| | | |
| Carcinogenicity: | | |
| IARC | No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC. | |
| ACGIH | Confirmed animal carcinogen with ur humans 2-butoxyethanol Confirmed animal carcinogen with ur humans | 111-76-2 |
| OSHA | No component of this product presen | |
| NTP | equal to 0.1% is on OSHA's list of real No component of this product presen equal to 0.1% is identified as a know by NTP. | it at levels greater than or |
| Acute toxicity | | |
| Product: | | |
| Acute oral toxicity | : Acute toxicity estimate : 3,576 mg. Method: Calculation method | /kg |
| Components: | | |
| Alcohols, C9-11, ethoxyla | | |
| Acute oral toxicity | : LD50 Oral Rat: 1,400 mg/kg | |
| Skin corrosion/irritation | | |
| Product: | | |
| Remarks: Extremely corros | sive and destructive to tissue. | |
| Serious eye damage/eye irrita | tion | |
| Product: | | |
| Remarks: May cause irreve | ersible eye damage. | |
| Respiratory or skin sensitisati | ion | |
| No data available | | |
| Germ cell mutagenicity | | |
| No data available | | |
| Carcinogenicity | | |
| No data available | | |
| Reproductive toxicity | | |
| | | |
| No data available | | |
| No data available STOT - single exposure | | |
| | | |



| Version 4.0 | Revision Date 05/24/2019 | Print Date 06/03/2019 |
|-------------|--------------------------|-----------------------|
| | | |

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

| Plouuci. | |
|--|--|
| Partition coefficient: n- octanol/water | : Remarks: No data available |
| Mobility in soil | |
| No data available | |
| Other adverse effects | |
| No data available <u>Product:</u> | |
| Regulation | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances |
| Remarks | This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |
| Additional ecological information | : No data available |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|---------------------|---|
| Waste from residues | : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. |



| Version 4.0 | Revision Date 05/24/2019 | Print Date 06/03/2019 |
|------------------------|---|-----------------------|
| | Dispose of in accordance with loca | al regulations. |
| Contaminated packaging | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. | |

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID), 8, II -Limited quantity

Transportation Regulation: IATA (Cargo Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II

Transportation Regulation: IATA (Passenger Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II

Transportation Regulation: TDG (Canada): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID), 8, II -Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|-------------------|-----------|-----------------------|--------------------------------|
| hydrochloric acid | 7647-01-0 | 5000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



3

0

0

ZEP GROUT CLEANER & BRIGHTENER

| Version 4.0 | Revision Date 05/24/2019 | Print Date 06/03/2019 |
|----------------------|---|-----------------------|
| SARA 311/312 Hazards | : Skin corrosion or irritation Serious eye damage or eye irritation | |
| SARA 302 | : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. | |
| SARA 313 | : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. | |
| California Prop. 65 | | |
| | This product does not contain any California to cause cancer, birth de reproductive harm. | |

The components of this product are reported in the following inventories:

| DSL | All components of this product are on the Canadian DSL |
|------|--|
| TSCA | On TSCA Inventory |


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information



OSHA - GHS Label Information:



| Version 4.0 | Revision Date 05/24/2019 | Print Date 06/03/2019 |
|--|--|--|
| Hazard pictograms | | |
| Signal word Hazard statements Precautionary statements | Danger: Causes severe skin burns and eye damage. Prevention: Wash skin thoroughly after handling. Weat clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT in hair): Take off immediately all contaminated clothing. R INHALED: Remove person to fresh air and keep comfor call a POISON CENTER/doctor. IF IN EYES: Rinse cau minutes. Remove contact lenses, if present and easy to Immediately call a POISON CENTER/doctor. Wash correuse. | nduce vomiting. IF ON SKIN (or inse skin with water/shower. IF rtable for breathing. Immediately utiously with water for several o do. Continue rinsing. |
| | Disposal: Dispose of contents/container in accordance | with local regulation. |

| Version: | 4.0 |
|----------------|------------|
| Revision Date: | 05/24/2019 |
| Print Date: | 06/03/2019 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.