

# LESCO PRE-M 0.86% Crabgrass Pre-

### **Emergent Plus Potash**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/15/2014 Date of issue: 11/25/2013

Version: 1.0

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product Identifier

Product Form: Mixture

**Product Name:** LESCO PRE-M 0.86% Crabgrass Pre-Emergent Plus Potash - EPA Registration No.: 10404-100 **Synonyms:** Dinitroaniline

Other means of identification: N-(1-ethylpropyl)-3,4-dimethly-2,6-dinitrobenzenamine

#### 1.2. Intended Use of the Product

Use of the substance/mixture: Pesticide & Fertilizer

#### 1.3. Name, Address, and Telephone of the Responsible Party

**Company** LESCO, Inc. 1385 East 36th St Cleveland, OH 44114 T 800-347-4272

**Emergency Number** 

#### **1.4.** Emergency Telephone Number

: 1-800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC - Day or Night

#### **SECTION 2: HAZARDS IDENTIFICATION**

2.1. Classification of the Substance or Mixture
Classification (GHS-US)
Acute Tox. 4 (Oral) H302
Skin Irrit. 2 H315
Eye Irrit. 2A H319

 Skin Sens. 1
 H317

 Carc. 1B
 H350

 STOT SE 3
 H335

 **2.2.** Label Elements

### GHS-US Labeling

Hazard	Pictograms	(GHS-US)

Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)



- : Danger
- : H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H350 May cause cancer (inhalation)
- : P201 Obtain special instructions before use
  - P202 Do not handle until all safety precautions have been read and understood
  - P261 Avoid breathing dust
  - P264 Wash exposed areas thoroughly after handling
  - P270 Do not eat, drink or smoke when using this product
  - P271 Use only outdoors or in a well-ventilated area
  - P272 Contaminated work clothing should not be allowed out of the workplace
- P273 Avoid release to the environment
- P280 Wear protective gloves/protective clothing/eye protection/face protection P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

unwell P302+P352 - IF ON SKIN: Wash with plenty of soap and water P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - If exposed or concerned: Get medical advice/attention P312 - Call a POISON CENTER or doctor if you feel unwell P321 - Specific treatment (see Section 4) P330 - If swallowed, rinse mouth P332+P313 - If skin irritation occurs: Get medical advice/attention P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing P362+P364 - Take off contaminated clothing and wash it before reuse P391 - Collect spillage P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to local, regional, national and international regulations.

#### 2.3. Other Hazards

#### Other Hazards Not Contributing to the Classification:

Pendimethalin is a strongly orange-red colored compound – virtually an aniline dye. Cases have been described of orangeyellow coloration of urine following heavy exposure of workers to the dust of pendimethalin. Despite its structure as both a nitro-compound and aromatic amine, exposure to pendimethalin is NOT associated with methemoglobinemia. This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

Prevent dust accumulation (to minimize explosion nazard).

Hazardous to the aquatic environment - Acute Hazard Category 1.

Hazardous to the aquatic environment - Chronic Hazard Category 3.

#### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)
Urea	(CAS No) 57-13-6	0.1 - 98	Not classified
Sulfuric acid, dipotassium salt	(CAS No) 7778-80-5	0.1 - 95	Not classified
Diammonium phosphate	(CAS No) 7783-28-0	0.1 - 95	Skin Irrit. 2, H315
			Eye Irrit. 2B, H320
			STOT SE 3, H335
			Aquatic Acute 3, H402
Potassium chloride	(CAS No) 7447-40-7	0.1 - 95	Eye Irrit. 2B, H320
Monoammonium phosphate	(CAS No) 7722-76-1	0.1 - 95	Skin Irrit. 2, H315
			Eye Irrit. 2B, H320
			STOT SE 3, H335
Ammonium sulfate	(CAS No) 7783-20-2	0.1 - 95	Not classified
Carbonic acid, calcium salt (1:1)	(CAS No) 471-34-1	0.1 - 95	Skin Irrit. 2, H315
			Eye Irrit. 2B, H320
Sulfur	(CAS No) 7704-34-9	0.1 - 20	Comb. Dust, H232
			Skin Irrit. 2, H315
Iron oxide (Fe2O3)	(CAS No) 1309-37-1	0.1 - 10	Comb. Dust, H232
			Aquatic Chronic 2, H411
Magnesium sulfate	(CAS No) 7487-88-9	0.1 - 10	Skin Sens. 1, H317
Ferrous sulfate	(CAS No) 7720-78-7	0.1 - 10	Acute Tox. 3 (Oral), H301
			Skin Irrit. 2, H315

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

			Eye Irrit. 2A, H319	
			Skin Sens. 1, H317	
			Aquatic Acute 1, H400	
Manganese oxide (Mn3O4)	(CAS No) 1317-35-7	0.1 - 10	Not classified	
Pendimethalin	(CAS No) 40487-42-1	0.75 - 1.5	Aquatic Acute 1, H400	
1,2-Dichloroethane	(CAS No) 107-06-2	0.1 - 1	Flam. Liq. 2, H225	
			Acute Tox. 4 (Oral), H302	
			Skin Irrit. 2, H315	
			Eye Irrit. 2A, H319	
			Carc. 1B, H350	
			STOT SE 3, H335	

Full text of H-phrases: see section 16

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of First Aid Measures

**First-aid Measures General**: If medical advice is needed, have product container or label at hand. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

**First-aid Measures After Inhalation**: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

**First-aid Measures After Skin Contact**: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash skin thoroughly with mild soap and water. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.

**First-aid Measures After Ingestion**: Rinse mouth. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Call a POISON CENTER/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** Harmful if swallowed. Eye irritation. Causes skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Inhalation:** Irritating to the respiratory system and mucous membranes. May cause cancer by inhalation. May cause drowsiness or dizziness.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

**Symptoms/Injuries After Ingestion:** Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

**Chronic Symptoms:** May cause cancer (inhalation).

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing Media

Suitable Extinguishing Media: Alcohol foam, dry chemical, carbon dioxide, water spray, fog. Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use water jet. Use of heavy stream of water may spread fire.

#### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but will burn at high temperatures. . Decomposes above 132 °C (270 °F). Under conditions of fire this material may produce: Ammonia. Nitrogen oxides. Biuret. Cyanuric acid.

**Explosion Hazard:** May form explosive compounds if mixed with: Calcium hypochlorite. Sodium hypochlorite. Nitrates. Nitric acid. Perchloric acid. Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive. **Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

#### 5.3. Advice for Firefighters

Firefighting Instructions: Not flammable. Exercise caution when fighting any chemical fire.

**Protection During Firefighting:** Firefighters must use full bunker gear including NIOSH-approved positive-pressure selfcontained breathing apparatus to protect against potential hazardous combustion and decomposition products. **Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures**: Handle in accordance with good industrial hygiene and safety practice. This material becomes slippery when wet. Avoid all eyes and skin contact and do not breathe vapor and mist. Do not allow product to spread into the environment.

#### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Wear suitable protective clothing, gloves and eye/face protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: Collect as any solid. Ventilate area. Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Responders

**Protective Equipment:** Wear suitable protective clothing, gloves and eye/face protection. Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** If possible, stop flow of product. Contain and collect as any solid. Evacuate unnecessary personnel. Ventilate area.

#### 6.2. Environmental Precautions

Avoid release to the environment. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

#### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

**Methods for Cleaning Up:** Recover the product by vacuuming, shovelling or sweeping. Avoid generation of dust during cleanup of spills. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Material may be used if uncontaminated. Clear up spills immediately and dispose of waste safely.

#### 6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for Safe Handling

Additional Hazards When Processed: This material becomes slippery when wet.

**Precautions for Safe Handling:** Handle in accordance with good industrial hygiene and safety procedures. Wear recommended personal protective equipment. Avoid creating or spreading dust. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

**Hygiene Measures:** Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do no eat, drink or smoke when using this product.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions:** Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep container closed when not in use.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

Prohibitions on mixed storage: Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

Special Rules on Packaging: Corrosive to copper and its alloys.

### 7.3. Specific End Use(s)

Fertilizer.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

Carbonic acid	l, calcium salt (1:1) (471-34-1)	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m <sup>3</sup>
Iron oxide (Fe	e2O3) (1309-37-1)	
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	2500 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m <sup>3</sup>

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,2-Dichloroethane (107-06-2)		
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (ppm)	1 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (STEL) (ppm)	2 ppm
USA IDLH	US IDLH (ppm)	50 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	50 ppm
USA OSHA	OSHA PEL (Ceiling) (ppm)	100 ppm

#### 8.2. Exposure Controls

**Appropriate Engineering Controls** 

**Personal Protective Equipment** 

: Ensure all national/local regulations are observed.

: Gloves. Protective clothing. In case of dust production: protective goggles.



Materials for Protective Clothing	: Chemically resistant materials and fabrics.
Hand Protection	: Protective gloves.
Eye Protection	: In case of dust production: protective goggles.
Skin and Body Protection	: Wear suitable protective clothing.
Respiratory Protection	: If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.
Environmental Exposure Controls	: Ensure adequate ventilation, especially in confined areas.

: When using, do not eat, drink or smoke.

Environmental Exposure Controls Other Information

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties		
Physical State	: Solid	
Appearance	: Yellow granules.	
Odor	: Nutty	
Odor Threshold	: No data available	
рН	: No data available	
pH solution	: Not applicable	
Relative Evaporation Rate (butylacetate=1)	: No data available	
Melting Point	: 133°C (271.4°F) Urea	
Freezing Point	: No data available	
Boiling Point	: No data available	
Flash Point	: No data available	
Auto-ignition Temperature	: No data available	
Decomposition Temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor Pressure	: No data available	
Relative Vapor Density at 20 °C	: No data available	
Relative Density	: No data available	
Specific Gravity	: Not available	
Density	: 45 - 65 lb/ft3	
Solubility	: Water: disperses	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity, Kinematic	: No data available	
Viscosity, Dynamic	: No data available	
Explosive Properties	: No data available	
Oxidizing Properties	: No data available	

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Explosive Limits**

: Not applicable

#### 9.2. Other Information No additional information available

#### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

10.2 Chemical Stability: Stable at standard temperature and pressure.

**10.3 Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**10.4 Conditions to Avoid:** Protect from moisture. Direct sunlight. Extremely high or low temperatures. Sparks, heat, open flame and other sources of ignition.

**10.5** Incompatible Materials: May form explosive mixture if in contact with strong acid such as nitric or perchloric acids. Avoid contact with : Nitrates. Hypochlorites. Perchlorates. Chlorides. Corrosive to copper and its alloys. Strong acids. Strong bases. Strong oxidizers.

**10.6** Hazardous Decomposition Products: Under conditions of fire this material may produce: Nitrogen oxides. Ammonia. Biuret. Carbon oxides (CO, CO2). Formaldehyde. Cyanuric acid. Hydrogen cyanide.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information On Toxicological Effects

Acute Toxicity : Harmful if swallowed.

LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin		
D50 Dermal Rat mg/kg		
Sulfuric acid, dipotassium salt (7778-80-5)		
LD50 Oral Rat	6600 mg/kg	
Diammonium phosphate (7783-28-0)		
LD50 Oral Rat	6500 mg/kg	
LD50 Dermal Rabbit	> 7950 mg/kg	
Potassium chloride (7447-40-7)		
LD50 Oral Rat	2600 mg/kg	
Monoammonium phosphate (7722-76-1)		
LD50 Oral Rat	5750 mg/kg	
LD50 Dermal Rabbit	> 7940 mg/kg	
Ammonium sulfate (7783-20-2)		
LD50 Oral Rat	2000 mg/kg	
Carbonic acid, calcium salt (1:1) (471-34-1)		
LD50 Oral Rat	6450 mg/kg	
Sulfur (7704-34-9)		
LD50 Oral Rat	> 3000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat (mg/l)	> 9.23 mg/l/4h	
Iron oxide (Fe2O3) (1309-37-1)		
LD50 Oral Rat	> 10000 mg/kg	
Ferrous sulfate (7720-78-7)		
LD50 Oral Rat	237 mg/kg	
1,2-Dichloroethane (107-06-2)		
LD50 Oral Rat	625 mg/kg	
LD50 Dermal Rabbit	2800 mg/kg	
LC50 Inhalation Rat (ppm)	1000 ppm (Exposure time: 7 h)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Urea (57-13-6)

ATE	(Oral)

8471.000 mg/kg

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: May cause cancer.

Iron oxide (Fe2O3) (1309-37-1)	
IARC group	3
1,2-Dichloroethane (107-06-2)	
IARC group	2B
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity, Reasonably anticipated to be Human
	Carcinogen.

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Potential Adverse Human Health Effects and Symptoms: Harmful if swallowed.

**Symptoms/Injuries After Inhalation:** Irritating to the respiratory system and mucous membranes. May cause cancer by inhalation. May cause drowsiness or dizziness.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

**Symptoms/Injuries After Ingestion:** Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

Chronic Symptoms: May cause cancer.

### SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecology - General

: Harmful to aquatic life with long lasting effects.

Sulfuric acid, dipotassium salt (7778-80-5)	
LC50 Fish 1	653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
EC50 Daphnia 1	890 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC 50 Fish 2	3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Diammonium phosphate (7783-28-0)	
LC50 Fish 1	26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC 50 Fish 2	24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-
	through])
Potassium chloride (7447-40-7)	
LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC 50 Fish 2	750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Ammonium sulfate (7783-20-2)	
LC50 Fish 1	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	14 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-
	through])
Sulfur (7704-34-9)	
LC50 Fish 1	866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
LC 50 Fish 2	14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Magnesium sulfate (7487-88-9)	
LC50 Fish 1	2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EC50 Daphnia 1	266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 Other Aquatic Organisms 1	2700 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)	
Ferrous sulfate (7720-78-7)		
LC50 Fish 1	925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])	
EC50 Daphnia 1	152 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	0.56 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])	
EC50 Daphnia 2	6.15 - 9.26 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
Pendimethalin (40487-42-1)		
LC50 Fish 1	0.00019 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-	
	through])	
LC 50 Fish 2	0.14 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
1,2-Dichloroethane (107-06-2)		
LC50 Fish 1	110 - 123 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-	
	through])	
EC50 Daphnia 1	140 - 190 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 Other Aquatic Organisms 1	> 433 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)	
LC 50 Fish 2	225 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 Other Aquatic Organisms 2	166 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus [static])	
Urea (57-13-6)		
LC50 Fish 1	16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)	
EC50 Daphnia 1	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
12.2. Persistence and Degradability		
LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin		

Persistence and Degradability	May cause long-term adverse effects in the environment. This product is water
	soluble and eventually biodegrades into elemental nitrogen. Exess nitrogen and
	nitrates in a body of water will contribute to eutrophication with visible effects
	such as toxic algae bloom.

12.3. Bioaccumulative Potential		
LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin		
<b>Bioaccumulative Potential</b>	Not established.	
Diammonium phosphate (7783-28-0)		
BCF fish 1	(no bioaccumulation expected)	
Monoammonium phosphate (7722-76-1)		
BCF fish 1	(no bioaccumulation expected)	
Ammonium sulfate (7783-20-2)		
Log Pow	-5.1 (at 25 °C)	
Carbonic acid, calcium salt (1:1) (471-34-1)		
BCF fish 1	(no bioaccumulation)	
1,2-Dichloroethane (107-06-2)		
BCF fish 1	2	
Log Pow	1.45	

Log Pow	1.45
Urea (57-13-6)	
BCF fish 1	< 10
Log Pow	-1.59 (at 25 °C)
0	

#### Mobility in Soil No additional information available 12.4.

#### 12.5. **Other Adverse Effects**

**Other Information** 

: Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Pesticide: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain. Container: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill approved for pesticide disposal, or by incineration.

Additional Information: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology - Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

#### **SECTION 14: TRANSPORT INFORMATION**

In Accordance With ICAO/IATA/IMDG/DOT

14.1. UN Number Not regulated for transport

14.2. UN Proper Shipping Name Not regulated for transport

14.3. Additional Information

**Other information** : No supplementary information available.

Transport by Sea Not regulated for transport

Air Transport Not regulated for transport

#### SECTION 15: REGULATORY INFORMATION

#### 15.1 US Federal Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Delayed (chronic) health hazard
Sulfuric acid, dipotassium salt (7778-80-5)	
Listed on the United States TSCA (Toxic Substances Contr	ol Act) inventory
Diammonium phosphate (7783-28-0)	
Listed on the United States TSCA (Toxic Substances Contr	ol Act) inventory
Potassium chloride (7447-40-7)	
Listed on the United States TSCA (Toxic Substances Contr	ol Act) inventory
Monoammonium phosphate (7722-76-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Ammonium sulfate (7783-20-2)	
Listed on the United States TSCA (Toxic Substances Contr	ol Act) inventory
Carbonic acid, calcium salt (1:1) (471-34-1)	
Listed on the United States TSCA (Toxic Substances Contr	ol Act) inventory
Sulfur (7704-34-9)	
Listed on the United States TSCA (Toxic Substances Contr	ol Act) inventory
Iron oxide (Fe2O3) (1309-37-1)	
Listed on the United States TSCA (Toxic Substances Contr	ol Act) inventory
Magnesium sulfate (7487-88-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Ferrous sulfate (7720-78-7)	
Listed on the United States TSCA (Toxic Substances Contr	ol Act) inventory
Manganese oxide (Mn3O4) (1317-35-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Pendimethalin (40487-42-1)	
Listed on SARA Section 313 (Specific toxic chemical listings)	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	· · · · · · · · · · · · · · · · · · ·	
SARA Section 313 - Emission Reporting	1.0 %	
1,2-Dichloroethane (107-06-2)		
Listed on the United States TSCA (Toxic Substances Contr	ol Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listing	gs)	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
SARA Section 313 - Emission Reporting	0.1 %	
Urea (57-13-6)	·	
Listed on the United States TSCA (Toxic Substances Contr	ol Act) inventory	
·	or net/inventory	
15.2 US State Regulations		
1,2-Dichloroethane (107-06-2)		
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.	
Potassium chloride (7447-40-7)		
U.S Texas - Effects Screening Levels - Long Term		
U.S Texas - Effects Screening Levels - Short Term		
Monoammonium phosphate (7722-76-1)		
U.S Texas - Effects Screening Levels - Long Term		
U.S Texas - Effects Screening Levels - Long Term		
Ammonium sulfate (7783-20-2)		
U.S California - SCAQMD - Toxic Air Contaminants With		
U.S California - Toxic Air Contaminant List (AB 1807, AB	2728)	
U.S Massachusetts - Right To Know List		
U.S Pennsylvania - RTK (Right to Know) - Environmental	Hazard List	
U.S Pennsylvania - RTK (Right to Know) List		
U.S Rhode Island - Air Toxics - Acceptable Ambient Leve		
U.S Rhode Island - Air Toxics - Acceptable Ambient Leve	els - Annual	
U.S Texas - Effects Screening Levels - Long Term		
U.S Texas - Effects Screening Levels - Short Term		
Carbonic acid, calcium salt (1:1) (471-34-1)		
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acce		
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Emis	ssion Levels (ELs)	
U.S Texas - Effects Screening Levels - Long Term		
U.S Texas - Effects Screening Levels - Short Term		
Sulfur (7704-34-9)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right to Know Hazardous Substance Li	st	
U.S New Mexico - Air Quality - Ambient Air Quality Stan	ndards	
U.S Pennsylvania - RTK (Right to Know) List		
U.S Texas - Effects Screening Levels - Long Term		
U.S Texas - Effects Screening Levels - Short Term		
Iron oxide (Fe2O3) (1309-37-1)		
U.S Connecticut - Hazardous Air Pollutants - HLVs (30 m	nin)	
U.S Connecticut - Hazardous Air Pollutants - HLVs (8 hr)		
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations		
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)		
U.S Idaho - Occupational Exposure Limits - TWAs		
U.S Massachusetts - Right To Know List		
U.S Michigan - Occupational Exposure Limits - TWAs		
U.S Minnesota - Hazardous Substance List		
U.S Minnesota - Permissible Exposure Limits - TWAs		
U.S New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour		
U.S New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual		
U.S New Jersey - Right to Know Hazardous Substance Li	st	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S New York - Occupational Exposure Limits - TWAs	
U.S North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour	
U.S Oregon - Permissible Exposure Limits - TWAs	
U.S Pennsylvania - RTK (Right to Know) List	
U.S Tennessee - Occupational Exposure Limits - TWAs	
U.S Texas - Effects Screening Levels - Long Term	
U.S Texas - Effects Screening Levels - Short Term	
U.S Vermont - Permissible Exposure Limits - TWAs	
U.S Washington - Permissible Exposure Limits - STELs	
U.S Washington - Permissible Exposure Limits - TWAs	
U.S Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet	
U.S Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet	
U.S Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater	
U.S Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet	
Magnesium sulfate (7487-88-9)	
U.S Texas - Effects Screening Levels - Long Term	
U.S Texas - Effects Screening Levels - Short Term	
Ferrous sulfate (7720-78-7)	
U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities	
U.S Louisiana - Reportable Quantity List for Pollutants	
U.S Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1	
U.S Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2	
U.S Massachusetts - Oil & Hazardous Material List - Reportable Quantity	
U.S Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1	
U.S Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2	
U.S Massachusetts - Right To Know List	
U.S Massachusetts - Toxics Use Reduction Act	
U.S Michigan - Polluting Materials List	
U.S New Jersey - Discharge Prevention - List of Hazardous Substances	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances	
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S Pennsylvania - RTK (Right to Know) List	
U.S Texas - Effects Screening Levels - Long Term	
U.S Texas - Effects Screening Levels - Short Term	
Manganese oxide (Mn3O4) (1317-35-7)	
U.S Connecticut - Hazardous Air Pollutants - HLVs (30 min)	
U.S Connecticut - Hazardous Air Pollutants - HLVs (8 hr)	
U.S Massachusetts - Right To Know List	
U.S Michigan - Occupational Exposure Limits - TWAs	
U.S Minnesota - Hazardous Substance List	
U.S Minnesota - Permissible Exposure Limits - TWAs	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S North Carolina - Control of Toxic Air Pollutants	
U.S Pennsylvania - RTK (Right to Know) List	
U.S Tennessee - Occupational Exposure Limits - TWAs	
U.S Vermont - Permissible Exposure Limits - TWAs	
U.S Washington - Permissible Exposure Limits - STELs	
U.S Washington - Permissible Exposure Limits - TWAs	
Pendimethalin (40487-42-1)	
U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities	
U.S Massachusetts - Toxics Use Reduction Act	
U.S Massachusetts - Toxics Use Reduction Act U.S Minnesota - Chemicals of High Concern	
U.S Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins	
U.S New Jersey - Discharge Prevention - List of Hazardous Substances	
U.S New Jersey - Environmental Hazardous Substances List	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New York - Priority Chemical Avoidance List U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term 1,2-Dichloroethane (107-06-2) U.S. - California - Priority Toxic Pollutants - Human Health Criteria U.S. - California - SCAQMD - Toxic Air Contaminants - Carcinogens U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Chronic U.S. - California - SDAPCD - Toxic Air Contaminants - Carcinogenic Impacts Must Be Calculated U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728) U.S. - Colorado - Groundwater Quality Standards U.S. - Colorado - Hazardous Wastes - Discarded Chemical Products, Off-Specification Species, Container and Spill Residues U.S. - Colorado - Hazardous Wastes - Maximum Concentration for the Toxicity Characteristics U.S. - Colorado - Primary Drinking Water Regulations - Maximum Contaminant Level Goals (MCLGs) U.S. - Colorado - Primary Drinking Water Regulations - Maximum Contaminant Levels (MCLs) U.S. - Connecticut - Drinking Water Quality Standards - Maximum Contaminant Levels U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min) U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr) U.S. - Connecticut - Water Quality Standards - Consumption of Organisms Only U.S. - Connecticut - Water Quality Standards - Consumption of Water and Organisms U.S. - Connecticut - Water Quality Standards - Health Designations U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S. - Florida - Drinking Water Standards - Volatile Organic Contaminants - Maximum Contaminant Levels (MCLs) U.S. - Georgia - Drinking Water - Maximum Contaminant Levels (MCLs) U.S. - Idaho - Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Idaho - Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) U.S. - Idaho - Occupational Exposure Limits - Acceptable Maximum Peak Above the Ceiling Concentration for an 8-Hour Shift U.S. - Idaho - Occupational Exposure Limits - Ceilings U.S. - Idaho - Occupational Exposure Limits - TWAs U.S. - Illinois - Toxic Air Contaminant Carcinogens U.S. - Illinois - Toxic Air Contaminants U.S. - Louisiana - Reportable Quantity List for Pollutants U.S. - Maine - Air Pollutants - Hazardous Air Pollutants U.S. - Maine - Chemicals of High Concern U.S. - Maryland - Surface Water Quality Standards - Consumption of Organisms Only U.S. - Maryland - Surface Water Quality Standards - Consumption of Water and Organisms U.S. - Massachusetts - Allowable Ambient Limits (AALs) U.S. - Massachusetts - Allowable Threshold Concentrations (ATCs) U.S. - Massachusetts - Drinking Water - Maximum Contaminant Levels (MCLs) U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2 U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2 U.S. - Massachusetts - Right To Know List U.S. - Massachusetts - Threshold Effects Exposure Limits (TELs) U.S. - Massachusetts - Toxics Use Reduction Act U.S. - Michigan - Occupational Exposure Limits - STELs U.S. - Michigan - Occupational Exposure Limits - TWAs U.S. - Michigan - Polluting Materials List U.S. - Minnesota - Chemicals of High Concern U.S. - Minnesota - Hazardous Substance List U.S. - Minnesota - Permissible Exposure Limits - STELs U.S. - Minnesota - Permissible Exposure Limits - TWAs

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Missouri - Drinking Water - Maximum Contaminant Levels (MCLs) U.S. - Nebraska - Drinking Water - Maximum Contaminant Levels (MCLs) U.S. - Nebraska - Maximum Concentration of Contaminants for the Toxicity Characteristic U.S. - New Hampshire - Drinking Water - Maximum Contaminant Levels (MCLs) U.S. - New Hampshire - Prohibited Volatile Organic Compounds U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual U.S. - New Jersey - Control and Prohibition of Air Pollution by Toxic Substances U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances U.S. - New Jersey - Environmental Hazardous Substances List U.S. - New Jersey - Primary Drinking Water Standards - Maximum Contaminant Levels - MCLs U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New Jersey - Special Health Hazards Substances List U.S. - New Jersey - Water Quality - Ground Water Quality Criteria U.S. - New Jersey - Water Quality - Practical Quantitation Levels (PQLs) U.S. - New Mexico - Water Quality - Standards for Ground Water of 10,000 mg/L TDS Concentration or Less U.S. - New York - Occupational Exposure Limits - TWAs U.S. - New York - Priority Chemical Avoidance List U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances U.S. - North Carolina - Control of Toxic Air Pollutants U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour U.S. - North Dakota - Air Pollutants - Unit Risk Factors U.S. - North Dakota - Hazardous Wastes - Discarded Chemical Products, Off-Specification Species, Container and Spill Residues U.S. - North Dakota - Hazardous Wastes - Maximum Concentration for the Toxicity Characteristic U.S. - North Dakota - Water Quality Standards - Human Health Value for Class III U.S. - North Dakota - Water Quality Standards - Human Health Value for Classes I, IA, II U.S. - Oregon - Permissible Exposure Limits - Ceilings U.S. - Oregon - Permissible Exposure Limits - STELs U.S. - Oregon - Permissible Exposure Limits - TWAs U.S. - Pennsylvania - Drinking Water - Maximum Contaminant Levels (MCLs) U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - Annual U.S. - Rhode Island - Water Quality Standards - Acute Freshwater Aquatic Life Criteria U.S. - Rhode Island - Water Quality Standards - Carcinogens U.S. - Rhode Island - Water Quality Standards - Chronic Freshwater Aquatic Life Criteria U.S. - Rhode Island - Water Quality Standards - Human Health Criteria for Consumption of Aquatic Organisms Only U.S. - Rhode Island - Water Quality Standards - Human Health Criteria for Consumption of Water and Aquatic Organisms U.S. - South Carolina - Maximum Contaminant Levels (MCLs) U.S. - South Carolina - Toxic Air Pollutants - Maximum Allowable Concentrations U.S. - South Carolina - Toxic Air Pollutants - Pollutant Categories U.S. - Tennessee - Occupational Exposure Limits - STELs U.S. - Tennessee - Occupational Exposure Limits - TWAs U.S. - Texas - Drinking Water Standards - Maximum Contaminant Levels (MCLs) U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term U.S. - Utah - Drinking Water - Maximum Contaminant Levels (MCLs) U.S. - Vermont - Hazardous Waste - Hazardous Constituents U.S. - Vermont - Hazardous Waste - Maximum Contaminant Concentration for Toxicity U.S. - Vermont - Permissible Exposure Limits - STELs U.S. - Vermont - Permissible Exposure Limits - TWAs U.S. - Virginia - Water Quality Standards - Known or Suspected Carcinogens U.S. - Virginia - Water Quality Standards - Public Water Supply Effluent Limits U.S. - Virginia - Water Quality Standards - Surface Waters Not Used for the Public Water Supply Effluent Limits U.S. - Washington - Dangerous Waste - Dangerous Waste Constituents List U.S. - Washington - Dangerous Waste - Discarded Chemical Products List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. West Virginia Air Quality Toxic Air Pollutant Emission Limits

U.S. - West Virginia - Water Quality - Groundwater Standards - Ceiling Concentrations

U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet

U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet

U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater

U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet

#### Urea (57-13-6)

U.S. - Minnesota - Hazardous Substance List

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

#### **SECTION 16: OTHER INFORMATION** :

```
Other Information
```

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### **GHS Full Text Phrases:**

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Carc. 1B	Carcinogenicity Category 1B
Comb. Dust	Combustible Dust
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H232	May form combustible dust concentrations in air
H301	Toxic if swallowed
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H335	May cause respiratory irritation
H350	May cause cancer
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
PA Health Hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
PA Fire Hazard PA Reactivity	<ul> <li>1 - Must be preheated before ignition can occur.</li> <li>0 - Normally stable, even under fire exposure conditions, and are not reactive with water</li> </ul>

and are not reactive with water.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability Physical	: 1 Slight Hazard : 0 Minimal Hazard
Flammability	given : 1 Slight Hazard

IMPORTANT: The information contained herein is based on available data. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof; and you should make your investigation to determine safety for the use you contemplate. LESCO makes no warranty of merchantability of fitness for a particular use, nor is there any other express or implied warranty except as may be specifically provided otherwise on product. LESCO, Inc. assumes no responsibility or liability for any incidental or consequential damages whether related to personal injury or property damage, to vendees, users or third parties, caused by the material and LESCO's responsibility is limited to replacement of, or repayment of, the purchase price for the material(s) with respect to which any damages are claimed. All vendees or users assume all risk associated with the use of the material(s).

SDS US (GHS HazCom) - US Only