

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/24/2015

Reviewed on 03/24/2015

www.Florikan.com

1 Identification

- · Product identifier
- · Trade name: 55845
- DYN 13 13 13 T270 3STG S BULK
- · Relevant identified uses of the substance or mixture and uses advised against
- Product description PC12 Fertilizers
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Florikan ESA, LLC
 1579 Barber Rd.
 Sarasota, FL. 34240
 ph: 941-379-4048 ext 332
 Fax: 941-377-3633
 Email product info: Doug Cabe; dcabe@florikan.com
 Emergency telephone number: Chemtrec 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 1B H360 May damage fertility or the unborn child.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Additional information:

Hazards are exempt when in bonded form as produced and only are only released when the product is cut, ground, crushed, or otherwise removed from the outer coating.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).



- · Signal word Danger
- · Hazard-determining components of labeling:

Ammonium Nitrate Talc Magnesium Sulphate Monohydrate (Kieserite) Magnesium Sulphate Ammonium phosphate monobasic

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/24/2015

Reviewed on 03/24/2015

· Hazard statements Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May damage fertility or the unborn child. May cause respiratory irritation. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection. Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations. Unknown acute toxicity: 18.2 percent of the mixture consists of ingredient(s) of unknown toxicity. · Classification system:

· NFPA ratings (scale 0 - 4)

Health = 1 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Reactivity = 0

Other hazards None known

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.
- Dangerous Components:

CAS: 14567-64-7	Magnesium Sulphate Monohydrate (Kieserite)	5-10%
	🐼 Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/24/2015

CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate STOT SE 3, H335	2-12%
CAS: 7722-76-1	Ammonium phosphate monobasic Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%
CAS: 14807-96-6	Talc Carc. 2, H351; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	≤ 2.5%
CAS: 10034-96-5 RTECS: OP0893500	Manganese(II) Sulfate Monohydrate STOT RE 2, H373; Aquatic Chronic 2, H411; STOT SE 3, H335; H401	<u>≤</u> 2.5%

· Additional information:

Hazards are exempt when in bonded form as produced and only are only released when the product is cut, ground, crushed, or otherwise removed from the outer coating.

4 First-aid measures

· Description of first aid measures

· General information:

Hazards are exempt when in bonded form as produced and only are only released when the product is cut, ground, crushed, or otherwise removed from the outer coating.

• After inhalation: In case of unconsciousness, place patient securely on side position for transportation.

After skin contact:

Immediately wash skin with soap and plenty of water for at least 15 minutes.

Remove contaminated clothing and wash before reuse.

- Get medical attention if symptoms occur.
- · After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If swallowed and symptoms occur, consult a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Dispose of the collected material according to regulations.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/24/2015

Reviewed on 03/24/2015

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with occupational exposure limits:

14567-64-7 Magnesium Sulphate Monohydrate (Kieserite)

PEL TWA Short-term value: 5 mg/m³ Long-term value: 15 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

• Eye protection: Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Color: Gel See product specification

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/24/2015

Reviewed on 03/24/2015

· Odor: · Odor threshold:	Mild Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. 210 °C (410 °F)
· Flash point:	Not applicable.
 Flammability (solid, gaseous): 	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
 Danger of explosion: 	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not determined.
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	r): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: 	0.0 %
Solids content: • Other information	91.5 % No further relevant information available.
10 Stability and reactivity	

• *Reactivity* No further relevant information available.

· Chemical stability Stable under normal conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

• Incompatible materials: No further relevant information available.

• Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/24/2015

Reviewed on 03/24/2015

1 Toxicological information Information on toxicological effects Acute toxicity: · Primary irritant effect: · on the skin: Hazards are exempt when in bonded form as produced and only are only released when the product is cut, ground, crushed, or otherwise removed from the outer coating. Irritant to skin and mucous membranes. · on the eye: Hazards are exempt when in bonded form as produced and only are only released when the product is cut, ground, crushed, or otherwise removed from the outer coating. Irritating effect. Causes serious eye irritation. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant · Carcinogenic categories · IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to humans Group 2A - Probably carcinogenic to humans Group 2B - Possibly carcinogenic to humans Group 3 - Not classifiable as to its carcinogenicity to humans Group 4 - Probably not carcinogenic to humans 14807-96-6 Talc 2B • NTP (National Toxicology Program) None of the ingredients are listed. OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients are listed. 2 Ecological information · Toxicitv · Aquatic toxicity: No further relevant information available. · Persistence and degradability No further relevant information available. · Behavior in environmental systems: · Bioaccumulative potential No further relevant information available. · Mobility in soil No further relevant information available. Additional ecological information:

- General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/24/2015

Reviewed on 03/24/2015

- Uncleaned packagings:
 Recommendation: Disposal must be made according to official regulations.

4 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material	
 UN proper shipping name DOT, ADR, ADN, IMDG, IATA Transport hazard class(es) 	Non-Regulated Material	
· DOT, ADR, ADN, IMDG, IATA		
· Class	Non-Regulated Material	
· Packing group	5	
· DOT, AĎŘ, IMDG, IATA	Non-Regulated Material	
Environmental hazards:	Not applicable.	
 Special precautions for user 	Not applicable.	
 Transport in bulk according to Anne 	x II of	
MARPOL73/78 and the IBC Code	Not applicable.	
• UN "Model Regulation":	-	

None of the	ingredients are listed.
Section 31	3 (Specific toxic chemical listings):
6484-52-2	Ammonium Nitrate
7757-79-1	Potassium Nitrate
10034-96-5	Manganese(II) Sulfate Monohydrate
TSCA (Tox	ic Substances Control Act):
7778-80-5	Potassium Sulfate
6484-52-2	Ammonium Nitrate
7757-79-1	Potassium Nitrate
7447-40-7	Potassium Chloride
7487-88-9	Magnesium Sulphate
7722-76-1	Ammonium phosphate monobasic
14807-96-6	Talc
7757-93-9	Calcium Phosphate, dibasic
1332-58-7	Kaolin
25791-96-2	Poly(oxypropylene) triol
7647-14-5	Sodium Chloride
Propositio	n 65

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/24/2015

Reviewed on 03/24/2015

Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	

· LI A (LINITOLINIALI TOLECION Agency)	
10034-96-5 Manganese(II) Sulfate Monohydrate	D
 TLV (Threshold Limit Value established by ACGIH) 	
14807-96-6 Talc	A4
1332-58-7 Kaolin	2 mg/m3
 NIOSH-Ca (National Institute for Occupational Safety and Health) 	

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



. . .-

- Signal word Danger
- Hazard-determining components of labeling: Ammonium Nitrate

Talc Magnesium Sulphate Monohydrate (Kieserite) Magnesium Sulphate Ammonium phosphate monobasic

Hazard statements

Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May damage fertility or the unborn child. May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection. Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 9/10

Printing date 03/24/2015

Reviewed on 03/24/2015

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· State Right to Know

· State Right to Rhow		
CAS: 7778-80-5 RTECS: TT5900000	Potassium Sulfate	25-50%
CAS: 6484-52-2 RTECS: BR9050000	Ammonium Nitrate Ox. Sol. 1, H271; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	15-35%
CAS: 14567-64-7	Magnesium Sulphate Monohydrate (Kieserite) Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	5-10%
CAS: 7757-79-1 RTECS: TT 3700000	Potassium Nitrate Ox. Sol. 2, H272	5-10%
CAS: 7447-40-7 RTECS: TS 8050000	Potassium Chloride	2-12%
CAS: 7487-88-9 RTECS: OM 4500000		2-12%
All ingredients are liste	ed.	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision 03/24/2015 / 1

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B Carc. 2: Carcinogenicity, Hazard Category 2

(Contd. on page 10)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/24/2015

Reviewed on 03/24/2015

Page 10/10

Repr. 1B: Reproductive toxicity, Hazard Category 1B STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 : Hazardous to the aquatic environment - AcuteHazard, Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 • * **Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106