



Safety Data Sheet

No.7 Wet or Dry Roof Patch

1

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: No.7 Wet or Dry Roof Patch
SDS Number: 61
Product Code: 510, 512
Revision Date: 7/1/2019
Version: 1
Chemical Family: Petroleum Hydrocarbon
Product Description: Wet-stick Roof Cement
Product Use: Use around windows, doors, roof vents, seams and protrusions.

Supplier Details: Rutland Products
7 Crabtree Road
Jacksonville, IL 62650

Contact: Faith Nergenah, Brian Miller
Phone: 217-245-7810
Fax: 217-245-1194
Email: faith@rutland.com bmillier@rutland.com
Web: www.rutland.com
Emergency: CHEMTREC (800) 424-9300

2**HAZARDS IDENTIFICATION****Classification of the Substance or Mixture****GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):**

Physical, Flammable Liquids, 3
Health, Aspiration hazard, 1
Health, Skin corrosion/irritation, 2
Health, Serious Eye Damage/Eye Irritation, 2 B
Health, Acute toxicity, 4 Inhalation

GHS Label Elements, Including Precautionary Statements**GHS Signal Word: DANGER****GHS Hazard Pictograms:****GHS Hazard Statements:**

H226 - Flammable liquid and vapour
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H320 - Causes eye irritation
H332 - Harmful if inhaled

GHS Precautionary Statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352 - If on skin: Wash with plenty of soap and water.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical advice/attention.
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
P501 - Dispose of contents/container according to all local, state and federal regulations.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes; Ingestion; Skin;
Inhalation: May be harmful if inhaled.
Skin Contact: May cause irritation.
Eye Contact: May cause irritation.
Ingestion: Ingestion is not an applicable route of entry for intended use. Harmful or fatal if swallowed



Safety Data Sheet

No.7 Wet or Dry Roof Patch

3**COMPOSITION/INFORMATION OF INGREDIENTS**

Chemical Ingredients:		
CAS#	%	Chemical Name:
64742-48-9		Mineral Spirits
28701-67-9		1-Propanamine, 3-(isodecyloxy)-, acetate
64754-94-5		Fatty acids, tall-oil, compds. with polyethylenepolyamine-tall-oil fatty acid reaction products
8052-42-4		Asphalt
12174-11-7		Palygorskite fibers (> 5mm in length)
65996-61-4		Pulp, cellulose
64742-95-6		Aromatic hydrocarbon

Percentages withheld, Trade Secret

4**FIRST AID MEASURES**

- Inhalation:** Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.
- Skin Contact:** Wash with plenty of water. Get medical attention if irritation develops or persists.
- Eye Contact:** Immediately flush eyes with plenty of water. After initial flushing, remove contact lenses and continue flushing for at least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to mechanical action.
- Ingestion:** If Swallowed, DO NOT INDUCE VOMITING. Immediately call a POISON CONTROL CENTER (1-800-222-1222), physician or emergency room. Rinse mouth with water.

5**FIRE FIGHTING MEASURES**

- Flammability:** Combustible
- Flash Point:** 104 F
- Flash Point Method:** Not Available
- Autoignition Temp:** Does Not Self-ignite

Dry powder, foam, carbon dioxide. Wear self contained breathing apparatus and other protective clothing.

6**ACCIDENTAL RELEASE MEASURES**

Absorb spilled material and place in appropriate container for disposal.

7**HANDLING AND STORAGE**

- Handling Precautions:** Avoid contact with eyes, skin, or clothing. Use with adequate ventilation. Avoid prolonged and repeated contact with skin. Wash thoroughly after handling. Keep away from food and drinking water.
- Storage Requirements:** Store in a cool, well ventilated area. Keep away from heat, sparks, and flames. NO SMOKING. Avoid contact with eyes, skin and clothing. Keep container closed to prevent drying out.



Safety Data Sheet

No.7 Wet or Dry Roof Patch

8**EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering Controls:	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible.
Personal Protective Equipment:	EYES AND FACE: Wear safety glasses with side shields. Chemical splash goggles and face shield (ANSI Z87.1 or approved equivalent) are recommended. SKIN: Wear protective clothing, including long sleeves and gloves, to prevent skin contact. Thoroughly wash clothing before reuse. RESPIRATORY: In case of insufficient ventilation, wear suitable respiratory equipment.

9**PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Thick black paste	Odor:	Petroleum
Physical State:	Liquid	Molecular Formula:	Not Available
Odor Threshold:	Not Available	Solubility:	Insoluble in water
Particle Size:	Not Available	Softening Point:	Not Available
Spec Grav./Density:	8.1 lbs/gal	Percent Volatile:	Not Available
Viscosity:	Not Available	Heat Value:	Not Available
Saturated Vapor Concentration:	Not Available	Freezing/Melting Pt.:	32 F (0 C)
Boiling Point:	212 F (100 C)	Flash Point:	104 F
Flammability:	Combustible	Octanol:	Not Available
Partition Coefficient:	Not Available	Vapor Density:	Not Available
Vapor Pressure:	Not Available	VOC:	Not Available
pH:	Not Available	Bulk Density:	Not Available
Evap. Rate:	Not Available	Auto-Ignition Temp:	Does Not Self-ignite
Molecular weight:	Not Available	UFL/LFL:	Not Available
Decomp Temp:	Not Available		

10**STABILITY AND REACTIVITY**

Reactivity:	This product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Heat, flame and other sources of ignition.
Materials to Avoid:	Alkali sensitive metals and alloys
Hazardous Decomposition:	Combustion will produce Carbon Dioxide, Carbon Monoxide, Hydrogen Sulfide, Ozone and other compounds.
Hazardous Polymerization:	Will not occur.



Safety Data Sheet

No.7 Wet or Dry Roof Patch

11

TOXICOLOGICAL INFORMATION

Toxicity Data:

Eye Effects: Direct contact with eyes may cause temporary irritation.

Skin Effects: Prolonged skin contact may cause temporary irritation.

Acute Inhalation Effects: Prolonged inhalation may be harmful.

Chronic Effects: Not Known.

Carcinogenicity: Not Known.

Mutagenicity: Not Known.

Teratogenicity: Not Known.

IMMEDIATE (ACUTE) EFFECTS:

Acute Dermal: May cause temporary skin irritation.

Acute Inhalation : May cause respiratory irritation.

Acute Ocular (eye) : Direct contact with eyes is likely to be irritating.

Acute Ingestion: May cause gastrointestinal irritation

12

ECOLOGICAL INFORMATION

No information available

13

DISPOSAL CONSIDERATIONS

Dispose of this product in accordance with all applicable local, state and federal regulations.

14

TRANSPORT INFORMATION

UN1999, PGIII, (Tars, Liquid)

Hazard Class 3, Flammable Liquid

Not considered hazardous material in packages under 119 gallons. [49 CFR 173.150 (f)]

15

REGULATORY INFORMATION

RQ (CAS#) Substance - Reg Codes

Mineral Spirits (64742-48-9) TSCA

1-Propanamine, 3-(isodecyloxy)-, acetate (28701-67-9) TSCA

Fatty acids, tall-oil, compds. with polyethylenepolyamine-tall-oil fatty acid reaction products (64754-94-5) TSCA

Asphalt (8052-42-4) MASS, NRC, PA, TSCA, TXAIR

Palygorskite fibers (> 5mm in length) (12174-11-7) PROP65

Pulp, cellulose (65996-61-4) TSCA

Aromatic hydrocarbon (64742-95-6) TSCA



WARNING

This product can expose you to chemicals including Palygorskite fibers (> 5mm in length), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Regulatory Code Legend

TSCA = Toxic Substances Control Act

MASS = MA Massachusetts Hazardous Substances List

NRC = Nationally Recognized Carcinogens

PA = PA Right-To-Know List of Hazardous Substances

TXAIR = TX Air Contaminants with Health Effects Screening Level

PROP65 = CA Prop 65

16

OTHER INFORMATION

PREPARED BY: Brian Miller

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances.

Revision Date: 7/1/2019