

# Transfer 60 Dual+Heat Massage Walk In Bathtub (Wheelchair Accessible)



OLA3060D-L-h-D Left Drain



OLA3060D-R-h-D Right Drain

Actual Size: 30'' W x 60'' L x 42'' H  
 Shipping Size: 32'' W x 62'' L x 50'' H  
 Shipping Weight: 300lbs.  
 Net Weight: 220lbs.  
 Water Capacity: 95 gal. US (unoccupied)  
                           55-75 gal. US (occupied)  
 Approx. Drain Time: +/- 2 minutes (unoccupied bathtub)  
 at ideal home plumbing conditions  
 Approx. Fill Time: 14 gallons per minute  
 based on in-house water pressure  
 (Disclaimer: Drainage time depends on house drain conditions.)

**Options:**

- Left or Right Hinged Door

**Included Features:**

1. Acrylic Tub Shell:
  - High quality acrylic
  - Excellent color uniformity
  - High Gloss White Finish
  - Fiberglass Reinforced
2. Low threshold step in 7''
3. Stainless Steel Frame with Adjustable Leveling Legs
4. Seat: 22'' W x 19'' H x 19'' L
5. One (1) front and one (1) end removable access panels
6. Wall and deck mounted stainless steel safety grab bar in plated chrome finish
7. LED multiple color chromatherapy light (0.04AMP)
8. Aromatherapy
9. Heated seat and backrest (4AMP 470W)
10. L-shaped door for wheelchair accessible
11. Air Massage System:
  - Seventeen (17) therapeutic air massage jets with backflow valve
  - Variable Speed Pump with Auto Purge
12. Hydro Massage System: (5AMP 600W)
  - Nine (6) adjustable and four (7) fixed hydro jets
  - Hydro Massage Air Flow Intensity Control
  - In-line water heater (5.5AMP 650W)
13. Digital Control

13. Five-Piece thermostatic faucet set (chrome finish)
  - Thermostatic control valve
  - Two (2) 2-way diverters with extension handles
  - Pull out, hand held, chrome plated shower with 5 ft. retractable stainless steel braided hose

**Plumbing:**

- Two (2) x 5' long stainless steel braided water supply lines with 3/4'' IPS connectors
- Two (2) x 2'' floor drains
- Two (2) PVC 2'' drain elbows


**Electrical:**

Electrical requirement is one dedicated 120 V electrical line with a 20AMP GFCI standard three prong outlet




**Warranty:**

- Lifetime limited warranty on acrylic walk in tub shell, frame, and door.
- 5 Year parts warranty\*
- Thermostatic Control Valve (TCV) 1 year limited warranty

# Transfer 60 Dual+Heat Massage Walk In Bathtub (Wheelchair Accessible)




# Transfer 60 Dual+Heat Massage Walk In Bathtub (Wheelchair Accessible)



**Disclaimer:**


In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.

# Transfer 60 Dual+Heat Massage Walk In Bathtub (Wheelchair Accessible)



Disclaimer:  
In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.

# Transfer 60 Dual+Heat Massage Walk In Bathtub (Wheelchair Accessible)



**Disclaimer:**

In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.