

# Revision Date 02-Oct-2018

# SAFETY DATA SHEET

Version 5

1. IDENTIFICATION				
Product identifier Product Name	Rain-X Original Glass Treatment			
<u>Other means of identification</u> Product Code Document	11890 SKU: 800002242, 800002243, 800002245, 8	300002250		
<u>Recommended use of the chemica</u> Recommended Use Uses advised against	Il and restrictions on use Glass Treatment Consumer Use No information available			
Details of the supplier of the safety		Manufacture dans d Distribute d bur		
Supplier Address ITW Global Brands	Manufacturer Address	Manufactured and Distributed by:		
16200 Park Row, Suite 120 Houston, TX 77084				
<u>Distributor</u>		May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994		
Company Phone Number 24-hour emergency phone number (CHEMTREC) 1-800-424-9300 or 1-7 (RMPDC) 1-877-504-9352 (U.S.)		· · · ·		

E-mail address: SDS@itwgb.com

# 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

#### Label elements

**Emergency Overview** 

#### <u>Signal word</u> Danger

Causes serious eye irritation May cause drowsiness or dizziness Highly flammable liquid and vapor



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

Other Information Not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
ETHANOL	64-17-5	30 - 60
ACETONE	67-64-1	10 - 30
Isopropanol	67-63-0	10 - 30

# 4. FIRST AID MEASURES

Description of first aid measures	
General advice	Get medical advice/attention if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.

Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions protect themselves.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	See section 2 for more information.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media Dry chemical, CO2, sand, earth, wate Unsuitable extinguishing media CAUTION: All these products have a solid water stream as it may scatter a	very low flash point. Use of water spray when fighting fire may be inefficient Do not use a		
Specific hazards arising from the of Flammable vapors may be present e	<u>chemical</u> ven at temperatures below the flash point.		
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No information available. May be ignited by heat, sparks or flames.		
Protective equipment and precaute As in any fire, wear self-contained br protective gear.	ions for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective e	equipment and emergency procedures		
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes and inhalation of vapors. Use personal protective equipment as required. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).		
Environmental precautions			
Environmental precautions	See section 12 for additional ecological information.		
Methods and material for containn	nent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.		

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep out of the reach of children.
Incompatible materials	None known

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ETHANOL	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	-
ACETONE	STEL: 500 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 250 ppm	TWA: 2400 mg/m <sup>3</sup>	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	C C
		(vacated) STEL: 2400 mg/m <sup>3</sup>	
		The acetone STEL does not apply	
		to the cellulose acetate fiber	
		industry. It is in effect for all other	
		sectors.	
		(vacated) STEL: 1000 ppm	
Isopropanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m
		(vacated) STEL: 1225 mg/m <sup>3</sup>	-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Controls	Showers	
	Eyewash stations	
	Ventilation systems	

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses or goggles if splashing is likely to occur.	
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.	
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties		
Physical state	Liquid	
Appearance	Clear Colorless	
Odor	Alcohol	

Property pHValues 1.5 - 2.5Remarks • MethodMelting point / freezing point Boiling point / boiling range Boinformation available Flash point Flash point Paymotion available Flash point Paymotion rate Flash point Paymotion rate Paymotion rate No information available Flammability (Solid, gas) Paymotion available No information available Paymotion available Paymotion rate No information available Lower flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Relative density No information available Relative density No information available Partition coefficient No information available Partition coefficient No information available Pocomposition temperature No information available Portion coefficient No information available Portion coefficient No information available Portion coefficient No information available No information available Portion coefficient No information available Portion available Portion coefficient No information available Portion coefficient No information available Portion coefficient No information available Portion coefficient No information available Portion available Portion coefficient Portion available Portion available Portion coefficient Point No information available Point Pointormation available Point Pointormation available Pointormati	Odor threshold	No information available	
Melting point / freezing pointNo information availableBoiling point / boiling rangeNo information availableFlash point-3 °C / 27 °FSetaflash Closed CupEvaporation rateNo information availableFlammability (solid, gas)No information availableFlammability Limit in AirUpper flammability limit:Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information availableRelative density0.810 - 0.812Water solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availablePurce viscosityNo information availableDynamic viscosityNo information availableOther InformationavailableOther InformationNo information availableOther InformationNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available			Remarks • Method
Boiling point / boiling range       No information available         Flash point       -3 °C / 27 °F       Setaflash Closed Cup         Evaporation rate       No information available         Flammability (solid, gas)       No information available         Flammability Limit in Air       Upper flammability limit:       No information available         Lower flammability limit:       No information available       Vapor pressure         Vapor pressure       No information available         Vapor density       No information available         Relative density       0.810 - 0.812         Water solubility       Soluble in water         Solubility(ies)       No information available         Partition coefficient       No information available         Autoignition temperature       No information available         Pynamic viscosity       No information available         Explosive properties       No information available         Other Information       No information available         Other Information       No information available         Other Information       No information available         Ovailaing point       No information available         Ovailaing point       No information available         Ovaidizing point       No information available <th>• ·</th> <th></th> <th></th>	• ·		
Flash point       -3 °C / 27 °F       Setaflash Closed Cup         Evaporation rate       No information available       Flammability (solid, gas)       No information available         Flammability Limit in Air       Upper flammability limit:       No information available       No information available         Vapor pressure       No information available       No information available       No information available         Vapor pressure       No information available       No information available       No information available         Vapor density       0.810 - 0.812       Water solubility       Soluble in water         Solubility(ies)       No information available       No information available         Partition coefficient       No information available       No information available         Kinematic viscosity       No information available       No information available         Dynamic viscosity       No information available       No information available         Oxidizing properties       No information available       No information available         Other Information       No information available       No information available         Other Information       No information available       No information available         Other Information       No information available       No information available         VOC Conte			
Evaporation rateNo information availableFlammability (solid, gas)No information availableFlammability Limit in AirUpper flammability limit:Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information availableRelative density0.810 - 0.812Water solubilitySoluble in waterSolubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableCother InformationNo information availableOxidizing propertiesNo information availableOther InformationNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available	••••••••		
Flammability (solid, gas)No information availableFlammability Limit in AirVapor flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information availableRelative density0.810 - 0.812Water solubility (ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableCother InformationNo information availableOther InformationNo information availableOther InformationNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available	•		Setaflash Closed Cup
Flammability Limit in Air       Upper flammability limit:       No information available         Lower flammability limit:       No information available         Vapor pressure       No information available         Vapor density       No information available         Relative density       0.810 - 0.812         Water solubility       Soluble in water         Solubility(ies)       No information available         Partition coefficient       No information available         Autoignition temperature       No information available         Decomposition temperature       No information available         Kinematic viscosity       No information available         Dynamic viscosity       No information available         Oxidizing properties       No information available         Oxidizing properties       No information available         Other Information       No information available         Molecular weight       No information available         VOC Content (%)       72         Density       0.806 - 0.808 g/cm3         Bulk density       No information available			
Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information availableRelative density0.810 - 0.812Water solubilitySoluble in waterSolubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableOxidizing propertiesNo information availableOther InformationNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available		No information available	
Lower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information availableRelative density0.810 - 0.812Water solubilitySoluble in waterSolubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableCother InformationNo information availableOther InformationNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available	•		
Vapor pressureNo information availableVapor densityNo information availableRelative density0.810 - 0.812Water solubilitySoluble in waterSolubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive propertiesNo information availableOther InformationNo information availableOther unformationNo information availableVoc Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available			
Vapor densityNo information availableRelative density0.810 - 0.812Water solubilitySoluble in waterSolubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive propertiesNo information availableOther InformationNo information availableOther InformationNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available	-		
Relative density0.810 - 0.812Water solubilitySoluble in waterSolubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableDynamic viscosityNo information availableOxidizing propertiesNo information availableOther InformationVoSoftening pointNo information availableMolecular weightNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available			
Water solubilitySoluble in waterSolubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information availableOther InformationNo information availableMolecular weightNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available			
Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableDynamic viscosityNo information availableContext InformationNo information availableOther InformationNo information availableOther InformationNo information availableOther InformationNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available			
Partition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive propertiesNo information availableOther InformationNo information availableBulk density0.806 - 0.808 g/cm3Bulk densityNo information available	•		
Autoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information availableOther InformationNo information availableNo info			
Decomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableOxidizing propertiesNo information availableOther InformationNo information availableOther InformationNo information availableOther LinformationNo information availableOther LinformationNo information availableOther InformationNo information availableNo information			
Kinematic viscosityNo information availableDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information availableOther Information Softening pointNo information availableMolecular weightNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available	Autoignition temperature		
Dynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information availableOther InformationNo information availableDensity0.806 - 0.808 g/cm3Bulk densityNo information available			
Explosive propertiesNo information availableOxidizing propertiesNo information availableOther InformationSoftening pointSoftening pointNo information availableMolecular weightNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available	Kinematic viscosity		
Oxidizing propertiesNo information availableOther InformationSoftening pointNo information availableMolecular weightNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available			
Other InformationSoftening pointNo information availableMolecular weightNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available		No information available	
Softening pointNo information availableMolecular weightNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available	Oxidizing properties	No information available	
Molecular weightNo information availableVOC Content (%)72Density0.806 - 0.808 g/cm3Bulk densityNo information available	Other Information		
VOC Content (%)     72       Density     0.806 - 0.808 g/cm3       Bulk density     No information available	Softening point		
Density     0.806 - 0.808 g/cm3       Bulk density     No information available	0	No information available	
Bulk density No information available	VOC Content (%)	72	
	Density		
SADT (self-accelerating No information available			
	SADT (self-accelerating	No information available	

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Stable under normal use

<u>Chemical stability</u> Stable under normal conditions

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Heat, flames and sparks. Excessive heat.

# Incompatible materials

None known

#### **Hazardous Decomposition Products** Carbon oxides

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation

May cause irritation of respiratory tract. May be harmful if inhaled.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

#### Skin contact

May cause skin irritation and/or dermatitis.

Ingestion

Ingestion may cause irritation to mucous membranes. May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ETHANOL 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
ACETONE 67-64-1	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m³ (Rat)8 h
Isopropanol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m <sup>3</sup> (Rat)4 h

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No info	ormation available.		
Germ cell mutagenicity				
Carcinogenicity		ble below indicates whether eac		
Chemical Name	ACGIH	IARC	NTP	OSHA
ETHANOL 64-17-5	A3	Group 1	Known	X
Isopropanol 67-63-0	-	Group 3	-	X
A2 - Suspected Human C A3 - Animal Carcinogen IARC (International Age Group 1 - Carcinogenic to Not classifiable as a hum NTP (National Toxicolog Known - Known Carcinog OSHA (Occupational Sa X - Present	Carcinogen ncy for Research on o Humans an carcinogen gy Program) gen fety and Health Adm	inistration of the US Department of	,	
Chronic toxicity Target Organ Effects	May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Contains a known or suspected reproductive toxin. Blood, Central nervous system, Eyes, Liver, Reproductive System, Respiratory system, Skin.			
The following values are ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-d	9100 27060	mg/kg	ument .	

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

0.75 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

# Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

### Mobility

Disperses in water.

Chemical Name	Partition coefficient	
ETHANOL	-0.32	

64-17-5	
ACETONE 67-64-1	-0.24
Isopropanol 67-63-0	0.05

# Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS		
Waste treatment methods		
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations. Recover or recycle if possible. This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).	
Contaminated packaging	Do not reuse container.	
US EPA Waste Number	D001	

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
ETHANOL	Toxic	
64-17-5	Ignitable	
ACETONE	Ignitable	
67-64-1		
Isopropanol	Toxic	
67-63-0	Ignitable	

# **14. TRANSPORT INFORMATION**

DOT UN/ID No Proper shipping name: Hazard Class Packing Group	UN 1993 Flammable liquids, n.o.s, (Ethyl alcohol, isopropyl alcohol, acetone), Limited Quantity (LQ) 3 II
<u>IATA</u> UN/ID No Proper shipping name: Hazard Class Packing Group	UN 1993 Flammable liquid, n.o.s, (Ethyl alcohol, isopropyl alcohol, acetone), Limited Quantity (LQ) 3 II
IMDG UN/ID No Proper shipping name: Hazard Class Packing Group	UN 1993 Flammable liquids, n.o.s, (Ethyl alcohol, isopropyl alcohol, acetone), Limited Quantity (LQ) 3 II

15. REGULATORY INFORMATION		
International Inventories		
TSCA	Complies	
DSL/NDSL	Complies	
EINECS/ELINCS	Complies	
ENCS	Does not comply	
IECSC	Complies	

KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Isopropanol - 67-63-0	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Γ	ACETONE	5000 lb	-	RQ 5000 lb final RQ
	67-64-1			RQ 2270 kg final RQ

# US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Ethanol is only considered a Proposition 65 developmental hazard when it is ingested as a alcoholic beverage.

Chemical Name	California Proposition 65
ETHANOL - 64-17-5	Carcinogen
	Developmental

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ETHANOL 64-17-5	Х	Х	Х
ACETONE 67-64-1	Х	Х	Х
Isopropanol 67-63-0	Х	Х	Х
WATER 7732-18-5	-	-	Х
Sulfuric Acid 7664-93-9	Х	Х	Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

D2A - Very toxic materials, B2 - Flammable liquid, D2B - Toxic materials

#### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA HMIS	Health hazards Health hazards	Flammability 3 Flammability 3	Instability 0 Physical hazards 1	- Personal protection B
NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)				

4

Revision Date	02-Oct-2018
Revision Note	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet