Product Name: Company Name: Web site address Emergency Conta Information: Intended Use: Product Code: Skin Corrosion/Irri Serious Eye Dama GHS Signal Word: GHS Signal Word: GHS Precautionary GHS Response Ph	s: act: itation, Cate ge/Eye Irrita ses: y Phrases: arases:		act ver <b>ENTIFICA</b> handling. ctive clothing/e y of soap and with water for	eye protection/ water.	face protection.	tact lenses, i
Information: Intended Use: Product Code: Skin Corrosion/Irri Serious Eye Dama Official Signal Word: GHS Signal Word: GHS Hazard Phras GHS Precautionary	itation, Cate age/Eye Irrita ses: y Phrases: arases:	W.M. Barr Customer Service Mold and Mildew Stain Remo FG590, FG591, FG592 <b>2. HAZARDS ID</b> gory 2 ation, Category 2A <b>Warning</b> Causes skin irritation. Causes serious eye irritation. Wash hands thoroughly after Wear protective gloves/protect IF ON SKIN: Wash with plent IF IN EYES: Rinse cautiously present and easy to do. Cont	ver ENTIFICA handling. ctive clothing/e y of soap and with water for	(800)398-3	face protection.	tact lenses, i
Intended Use: Product Code: Skin Corrosion/Irri Serious Eye Dama Official Serious Eye Dama GHS Signal Word: GHS Hazard Phras GHS Precautionary	itation, Cate age/Eye Irrita ses: y Phrases: arases:	Mold and Mildew Stain Remo FG590, FG591, FG592 <b>2. HAZARDS ID</b> gory 2 ation, Category 2A Warning Causes skin irritation. Causes serious eye irritation. Wash hands thoroughly after Wear protective gloves/protect IF ON SKIN: Wash with plent IF IN EYES: Rinse cautiously present and easy to do. Cont	ENTIFICA handling. ctive clothing/e y of soap and with water for	TION	face protection.	tact lenses, i
Skin Corrosion/Irri Serious Eye Dama OFF GHS Signal Word: GHS Hazard Phras GHS Precautionary	itation, Cate ige/Eye Irrita ses: y Phrases: irases:	2. HAZARDS ID agory 2 ation, Category 2A Warning Causes skin irritation. Causes serious eye irritation. Wash hands thoroughly after Wear protective gloves/protective IF ON SKIN: Wash with plent IF IN EYES: Rinse cautiously present and easy to do. Cont	handling. ctive clothing/e y of soap and with water for	eye protection/ water.		tact lenses, i
Serious Eye Dama	ige/Eye Irrita ses: y Phrases: irases:	egory 2 ation, Category 2A Warning Causes skin irritation. Causes serious eye irritation. Wash hands thoroughly after Wear protective gloves/protec IF ON SKIN: Wash with plent IF IN EYES: Rinse cautiously present and easy to do. Cont	handling. ctive clothing/e y of soap and with water for	eye protection/ water.		tact lenses, i
Serious Eye Dama	ige/Eye Irrita ses: y Phrases: irases:	Warning Causes skin irritation. Causes serious eye irritation. Wash hands thoroughly after Wear protective gloves/protect IF ON SKIN: Wash with plent IF IN EYES: Rinse cautiously present and easy to do. Cont	handling. ctive clothing/e y of soap and with water for	water.		tact lenses, i
GHS Hazard Phras	ses: y Phrases: irases:	Causes skin irritation. Causes serious eye irritation. Wash hands thoroughly after Wear protective gloves/protec IF ON SKIN: Wash with plent IF IN EYES: Rinse cautiously present and easy to do. Cont	handling. ctive clothing/e y of soap and with water for	water.		tact lenses, i
GHS Hazard Phras	ses: y Phrases: irases:	Causes skin irritation. Causes serious eye irritation. Wash hands thoroughly after Wear protective gloves/protec IF ON SKIN: Wash with plent IF IN EYES: Rinse cautiously present and easy to do. Cont	handling. ctive clothing/e y of soap and with water for	water.		tact lenses, i
-	y Phrases: arases:	Wash hands thoroughly after Wear protective gloves/protect IF ON SKIN: Wash with plent IF IN EYES: Rinse cautiously present and easy to do. Cont	handling. ctive clothing/e y of soap and with water for	water.		tact lenses, i
-	irases:	Wear protective gloves/protect IF ON SKIN: Wash with plent IF IN EYES: Rinse cautiously present and easy to do. Cont	ctive clothing/e y of soap and with water for	water.		tact lenses, i
GHS Response Ph	irases:	IF ON SKIN: Wash with plent IF IN EYES: Rinse cautiously present and easy to do. Cont	y of soap and with water for	water.		tact lenses, i
		If skin irritation occurs, get me If eye irritation persists, get me Take off contaminated clothin	edical advice/	attention.		
GHS Storage and I Phrases:	Disposal	No phrases apply.	-			
Potential Health Eff (Acute and Chronic		Listed above.				
	3. CON	IPOSITION/INFORM	ATION O	N INGRED	IENTS	
CAS # Hazar	rdous Compo	onents (Chemical Name)	Concentration			
7681-52-9 Sodiur salt}	m hypochlorite	e {Hypochlorous acid, sodium 1	.0 -5.0 %			
1310-73-2 Sodiu	m hydroxide	{Caustic soda; Lye solution} 0	).1 -1.0 %			
Additional Chemican formation	al S	Specific percentage of compos	sition is being	withheld as a t	rade secret.	

	Supersedes Revision: 08/01/2019
	4. FIRST AID MEASURES
Emergency and First Aid	Inhalation:
Procedures:	If user experiences breathing difficulty, move to air free of vapors. Administer oxygen or artificial respiration until medical assistance can be rendered.
	Skin contact: Wash with soap and large quantities of water for at least 15 minutes. Seek medical attention if irritation from contact persists.
	Eye contact: Immediately flush eyes with water, remove any contact lens, continue flushing with water for at least 15 minutes. Get medical attention.
	Ingestion: If conscious, drink one or two glasses of water or milk, or give milk of magnesia. Never attempt to give anything by mouth to an unconscious person. Call your poison control center, hospital emergency room, or physician immediately.
Signs and Symptoms Of Exposure:	Refer to Section 2.
Note to Physician:	Treat symptomatically and supportively.
	5. FIRE FIGHTING MEASURES
Flash Pt:	NA
Explosive Limits:	LEL: N.D. UEL: N.D.
Autoignition Pt:	N.D.
Suitable Extinguishing Media	a:Non-combustible liquid - use extinguishing media for underlying cause of fire.
Unsuitable Extinguishing Media:	None known.
Fire Fighting Instructions:	Self-contained respiratory protection should be provided for fire fighters fighting fires in buildings or confined areas. Use water spray to cool nearby containers and structures exposed to fire.
Flammable Properties and Hazards:	This material is non-combustible.
Hazardous Combustion Products:	No data available.
	6. ACCIDENTAL RELEASE MEASURES
Steps To Be Taken In Case Material Is Released Or Spilled:	Clean-up: Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.
	Small spills: Take up the spilled liquid with sand, earth, or other noncombustible absorbent material and place in a plastic container where applicable.
	Large spills: Dike far ahead of spill for later disposal.
	Keep material out of sewers, storm drains, surface waters, and soil. Sodium hypochlorite is very toxic to aquatic life.
Licensed to W.M. Barr and Company	GHS format

(Specify Type):   Eye protection recommended.     Eye Protection:   Eye protection recommended.     Protective Gloves:   Rubber or neoprene gloves.     Other Protective Clothing:   Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, suc as gloves or shoes.     Engineering Controls   Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering Stop ventilation is inadequate. Leave area immediately.     Work/Hygienic/Maintenance   A source of clean water should be available in the work area for flushing eyes and skin.     Practices:   Do not eat, drink, or smoke in the work area.     Wash hands thoroughly after use.   9     PHYSICAL AND CHEMICAL PROPERTIES     Physical States:   [ ] Gas [ X ] Liquid [ ] Solid     Appearance and Odor:   Clear.     Bleach odor.   Odor threshold not determined.     pH:   12.5 - 13     Mething Point:   ND.     Pilsing Point:   99.90 F     Flash Pt: </th <th></th> <th></th> <th>Super</th> <th>sedes Revision: 08/01/2019</th>			Super	sedes Revision: 08/01/2019	
Precautions To Be Taken in Handling:   Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty.     Precautions To Be Taken in Storing:   Keep container tightly closed when not in use. Store in a cool, dry place. Protect from Ireezing. Avoid extreme high or low temperatures.     CAS #   Chemical Name   Jurisdiction   Recommended Exposure Limits   Notations     1310-73-2   Sodium hydroxide (Caustic sodat: Lye solution)   OSHA PELs   PEL: 2 mg/m3   Notations     (Gaustic sodat: Lye solution)   OSHA PELs   PEL: 2 mg/m3   Very protection recommended.   Notations     (Gaustic sodat: Lye solution)   OSHA PELs   PEL: 2 mg/m3   Very protection recommended.   Notations     (Gaustic sodat: Lye solution)   Celler on neoprene gloves.   Other Protective Soloty:   Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that cannot be decontaminated, suc as gloves or shoes.     Engineering Controls   Use only with a cross ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience sight dizziness, headache, nausea, or eye-watering - Stop - Ventilation is inadequate. Leave area immediately.		7. HAND	LING AND STORAGE		
CAS #     Chemical Name     Jurisdiction     Recommended Exposure Limits     Notations       1310-73-2     Sodium hydroxide (Caustic soda; Lye solution)     ACGIH TLV     CEIL: 2 mg/m3       0SHA PELs     PEL: 2 mg/m3     Separatory Equipment     Ensure adequate ventilation.       (Specify Type):     Ensure adequate ventilation.     Ensure adequate ventilation.       Protection:     Eye protection recommended.     Protective Gloves:       Other Protective Clothing:     Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, suc as gloves or shoes.       Engineering Controts     Use only with adequate ventilation to prevent build-up or vapors. Open all windows and doors. Use only with across ventilation or moving fresh air across the work area. If doors. Use only with across ventilation or moving fresh air across the work area. If a doors. Use only with acros went should be available in the work area for flushing eyes and skin.       Practices:     Do not eat, drink, or smoke in the work area.       Work/Hyglenic/Maintenance     A source of clean water should be available in the work area for flushing eyes and skin.       Physical States:     [ ] Gas [ X ] Liquid [ ] Solid       A	Handling: Precautions To Be Taken in	Read carefully all ca container retains res Dispose of empty co Keep container tight	autions and directions on product label before sidue, follow all label warnings even after cor ontainer according to all regulations. Do not tly closed when not in use. Store in a cool, d	ntainer is empty. reuse this container.	
1310-73	8. EXP	<b>OSURE CONT</b>	<b>ROLS/PERSONAL PROTECTI</b>	ON	
[Caustic soda; Lye solution]   OSHA PELs   PEL: 2 mg/m3     Respiratory Equipment (Specify Type):   Ensure adequate ventilation.     [Specify Type):   Eye protection recommended.     Protective Gloves:   Rubber or neoprene gloves.     Other Protective Clothing:   Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, suc as gloves or shoes.     Engineering Controls   Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering Stop ventilation is inadequate. Leave area immediately.     Work/Hygienic/Maintenace Practices:   Do not eat, drink, or smoke in the work area.     Uses hands thoroughly after use.   9     PHYSICAL AND CHEMICAL PROPERTIES     Physical States:   []Gas [X] Liquid [] Solid     Appearance and Odor:   Clear. Bleach odor. Odor threshold not determined. pH:     pH:   12.5 - 13     Melting Point:   N.D.     Boiling Point:   N.D.     Flash PI:   NA     E	CAS # Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations	
Respiratory Equipment (Specify Type):   Ensure adequate ventilation.     Eye Protection:   Eye protection recommended.     Protective Gloves:   Rubber or neoprene gloves.     Other Protective Clothing:   Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or other protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, suc as gloves or shoes.     Engineering Controls   Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering - Stop - ventilation is inadequate. Leave area immediately.     Work/Hygienic/Maintenance Practices:   Do not eat, drink, or smoke in the work area.     Wash hands thoroughly after use.   9     PHYSICAL AND CHEMICAL PROPERTIES     Physical States:   []Gas [X] Liquid [] Solid     Appearance and Odor:   Clear.     Didor threshold not determined.     pH:   12.5 - 13     Melting Point:   N.D.     Bioling Point:   > 99.90 F     Flash PI:   NA     Explosive Limits:   LL: N.D.     Vapor Pressur	•	ACGIH TLV	CEIL: 2 mg/m3		
(Specify Type):   Eye protection recommended.     Eye Protection:   Eye protection recommended.     Protective Gloves:   Rubber or neoprene gloves.     Other Protective Clothing:   Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or other protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, suc as gloves or shoes.     Engineering Controls   Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering Stop ventilation is inadequate. Leave area immediately.     Work/Hygienic/Maintenance   A source of clean water should be available in the work area for flushing eyes and skin.     Practices:   Do not eat, drink, or smoke in the work area.     Wash hands thoroughly after use.   9     PHYSICAL AND CHEMICAL PROPERTIES     Physical States:   [] Gas [X] Liquid [] Solid     Appearance and Odor:   Clear.     Bieach dodr.   Odor threshold not determined.     pH:   12.5 - 13     Melting Point:   >99.90 F     Flash Pt:   NA     Explosive Limi		OSHA PELs	PEL: 2 mg/m3		
Protective Gloves:   Rubber or neoprene gloves.     Other Protective Clothing:   Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, such as gloves or shoes.     Engineering Controls   Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering Stop ventilation is inadequate. Leave area immediately.     Work/Hygienic/Maintenance   PertySICAL AND CHEMICAL PROPERTIES     Physical States:   [] Gas   [X] Liquid   [] Solid     Appearance and Odor:   Clear.   Bleach odor.   Odor threshold not determined.     pH:   12.5 - 13   ND.   ND.   No.     Bioling Point:   ND.   ND.   No.   ND.     Flash Pt:   NA   ND.   Value available.   LEL: N.D.   VAI:     Kaporation Rate:   N.D.   UEL: N.D.   ND.   ND.   ND.     Prise Pressure (vs. Air or mm Hg):   ND.   UEL: N.D.   ND.   ND.   ND. </td <td></td> <td>Ensure adequate ve</td> <td>entilation.</td> <td></td>		Ensure adequate ve	entilation.		
Other Protective Clothing:   Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that has been contaminated, such as gloves or shoes.     Engineering Controls   Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering Stop ventilation is inadequate. Leave area immediately.     Work/Hygienic/Maintenance   A source of clean water should be available in the work area for flushing eyes and skin.     Practices:   Do not eat, drink, or smoke in the work area.     Wash hands thoroughly after use.   Belach odor.     Qlear.   Bleach odor.     Odor threshold not determined.   12.5 - 13     Melting Point:   N.D.     Bioling Point:   N.D.     Flash Pt:   N.D.     Vapor Pressure (vs. Air or mediate).   UEL: N.D.     Vapor Pressure (vs. Air or mediate).   UEL: N.D.     Na   LEL: N.D.     Vapor Pressure (vs. Air or mediate).   N.D.     ND.   N.D.	Eye Protection:	Eye protection recor	mmended.		
such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, suc as gloves or shoes.     Engineering Controls   Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering Stop ventilation is inadequate. Leave area immediately.     Work/Hygienic/Maintenance   A source of clean water should be available in the work area for flushing eyes and skin.     Practices:   Do not eat, drink, or smoke in the work area.     Wash hands thoroughly after use.   Use and Use and Use and Use available in the work area.     Physical States:   [] Gas   [X] Liquid   [] Solid     Appearance and Odor:   Clear.   Bleach odor.   Odor threshold not determined.     pH:   12.5 - 13   N.D.   Boiling Point:   >99.90 F     Flash Pt:   N.D.   N.D.   Flammability (solid, gas):   No data available.     Explosive Limits:   LEL: N.D.   UEL: N.D.   UEL: N.D.     Vapor Pressure (vs. Air or mm Hg):   N.D.   N.D.	Protective Gloves:				
(Ventilation etc.):   doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering Stop ventilation is inadequate. Leave area immediately.     Work/Hygienic/Maintenance   A source of clean water should be available in the work area for flushing eyes and skin.     Practices:   Do not eat, drink, or smoke in the work area.     Wash hands thoroughly after use.   9.     PHYSICAL AND CHEMICAL PROPERTIES     Physical States:   []Gas [X] Liquid [] Solid     Appearance and Odor:   Clear.     Bleach odor.   Odor threshold not determined.     pH:   12.5 - 13     Melting Point:   > 99.90 F     Flash Pt:   NA     Evaporation Rate:   N.D.     Flammability (solid, gas):   No data available.     Explosive Limits:   LEL: N.D.     Vapor Pressure (vs. Air or mm Hg):   N.D.	Other Protective Clothing:	such as impermeab clean any clothing o Discard any clothing	le aprons, etc., to minimize exposure. Before or protective equipment that has been contain g or other protective equipment that cannot b	e reuse, thoroughly ninated by prior use.	
Practices:   Do not eat, drink, or smoke in the work area.     Wash hands thoroughly after use.     9   PHYSICAL AND CHEMICAL PROPERTIES     Physical States:   []Gas [X] Liquid [] Solid     Appearance and Odor:   Clear.     Bleach odor.   Odor threshold not determined.     pH:   12.5 - 13     Melting Point:   > 99.90 F     Flash Pt:   NA     Evaporation Rate:   N.D.     Flammability (solid, gas):   No data available.     Explosive Limits:   LEL: N.D.   UEL: N.D.     Vapor Pressure (vs. Air or mm Hg):   N.D.		Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or			
9. PHYSICAL AND CHEMICAL PROPERTIES     Physical States:   []Gas [X] Liquid []Solid     Appearance and Odor:   Clear.     Bleach odor.   Odor threshold not determined.     pH:   12.5 - 13     Melting Point:   N.D.     Boiling Point:   > 99.90 F     Flash Pt:   NA     Evaporation Rate:   N.D.     Flammability (solid, gas):   No data available.     Explosive Limits:   LEL: N.D.     Vapor Pressure (vs. Air or mm Hg):   N.D.				flushing eyes and skin.	
9. PHYSICAL AND CHEMICAL PROPERTIES     Physical States:   []Gas [X]Liquid []Solid     Appearance and Odor:   Clear.     Bleach odor.   Odor threshold not determined.     pH:   12.5 - 13     Melting Point:   N.D.     Boiling Point:   > 99.90 F     Flash Pt:   NA     Evaporation Rate:   N.D.     Flammability (solid, gas):   No data available.     Explosive Limits:   LEL: N.D.     Vapor Pressure (vs. Air or mm Hg):   N.D.		Wash hands thorou	ohlv after use.		
Physical States:   []Gas [X]Liquid []Solid     Appearance and Odor:   Clear.     Bleach odor.   Odor threshold not determined.     pH:   12.5 - 13     Melting Point:   N.D.     Boiling Point:   > 99.90 F     Flash Pt:   N.D.     Flammability (solid, gas):   No data available.     Explosive Limits:   LEL: N.D.     Vapor Pressure (vs. Air or mHg):   N.D.	Q				
Appearance and Odor:Clear. Bleach odor. Odor threshold not determined.pH:12.5 - 13Melting Point:N.D.Boiling Point:> 99.90 FFlash Pt:N.AEvaporation Rate:N.D.Flammability (solid, gas):No data available.Explosive Limits:LEL: N.D.Vapor Pressure (vs. Air or mm Hg):N.D.					
Melting Point:N.D.Boiling Point:> 99.90 FFlash Pt:NAEvaporation Rate:N.D.Flammability (solid, gas):No data available.Explosive Limits:LEL: N.D.Vapor Pressure (vs. Air or mm Hg):N.D.		Clear. Bleach odor.			
Boiling Point:> 99.90 FBash Pt:NAEvaporation Rate:N.D.Flammability (solid, gas):No data available.Explosive Limits:LEL: N.D.Vapor Pressure (vs. Air or M.D.mm Hg):	pH:	12.5 - 13			
Flash Pt:   NA     Evaporation Rate:   N.D.     Flammability (solid, gas):   No data available.     Explosive Limits:   LEL: N.D.     Vapor Pressure (vs. Air or N.D.     mm Hg):	-				
Evaporation Rate:   N.D.     Flammability (solid, gas):   No data available.     Explosive Limits:   LEL: N.D.     Vapor Pressure (vs. Air or   N.D.     mm Hg):   N.D.	•				
Flammability (solid, gas):   No data available.     Explosive Limits:   LEL: N.D.     Vapor Pressure (vs. Air or N.D.     mm Hg):					
Explosive Limits: LEL: N.D. UEL: N.D. Vapor Pressure (vs. Air or N.D. mm Hg):					
Vapor Pressure (vs. Air or N.D. mm Hg):					
mm Hg):	-		L: N.D.		
		N.D.			
		N.D. Air = 1			

	Supersedes Revision: 08/01/2019
Specific Gravity (Water = 1):	1.07 - 1.08
Density:	8.92 - 9.17 LB/GL
Solubility in Water:	Complete.
Octanol/Water Partition Coefficient:	N.D.
Percent Volatile:	N.D.
Autoignition Pt:	N.D.
Decomposition Temperature:	N.D.
Viscosity:	N.D.
Additional Physical	N.D. = Not Determined
Information	
	10. STABILITY AND REACTIVITY
Stability:	Unstable [ ] Stable [ X ]
Conditions To Avoid -	None known.
Instability:	
Incompatibility - Materials To Avoid:	Incompatible with acids, ammonia, or other household chemicals. Do not mix with acids, ammonia, or other household chemicals as dangerous fumes may result.
	Incompatible with strong oxidizing and reducing agents.
-	Thermal decomposition may produce chlorine gas.
Byproducts: Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]
Conditions To Avoid - Hazardous Reactions:	None known.
	11. TOXICOLOGICAL INFORMATION
Toxicological Information:	This product was not tested as a whole. Refer to section 2 for acute and chronic effects.
	CAS# 1310-73-2:
	Standard Draize Test, Skin, Species: Rabbit, 500.0 MG, 24 H, Severe. Result:
	Blood:Change in clotting factors.
	Musculoskeletal: Other changes.
	- "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku," , Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,7, 1972
	Standard Draize Test, Eyes, Species: Rabbit, 1.000 %, Severe. Result: Blood:Other hemolysis with or withot anemia.
	Blood:Other changes.
	Biochemical: Metabolism (Intermediary): Other proteins. - American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

Revision: 02/12/2020 Supersedes Revision: 08/01/2019

			•			•
CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA	
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	n.a.	n.a.	n.a.	n.a.	
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	n.a.	n.a.	n.a.	n.a.	

## **12. ECOLOGICAL INFORMATION**

General Ecological Information: This product was not tested as a whole.

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Dispose of in accordance with local, state, and federal laws.

# **14. TRANSPORT INFORMATION**

### LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated. DOT Hazard Class: UN/NA Number:



#### MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name		Environmentally hazardous substances, liquid, n.o.s. (sodium hypochlorite)			
	UN Number:	3082	Packing Group:	III	
	Hazard Class:		IMDG Classification:	9	
	IMDG EMS Number:	S-F	IMDG MFAG Number:	7, 8	
	IMDG EMS Page:		Marine Pollutant:	Yes	
	Additional Transport	The shipper / supplier	r may be able to apply one of the following e	exceptions if allow	

Information:

The shipper / supplier may be able to apply one of the following exceptions if allowed under 49 CFR Regulations: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49 CFR Hazmat Regulations. Please consult 49 CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

# **15. REGULATORY INFORMATION**

# EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	No	Yes 100 LB	No
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	No	Yes 1000 LB	No
CAS #	Hazardous Components (Chemical Name)	Other US EPA or	State Lists	
<b>CAS #</b> 7681-52-9	Hazardous Components (Chemical Name) Sodium hypochlorite {Hypochlorous acid, sodium salt}	Other US EPA or TSCA: Inventory	State Lists	

Additional Regulatory Information	This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.
	16. OTHER INFORMATION
Revision Date: Preparer Name:	02/12/2020 W.M. Barr EHS Dept (901)775-0100
Additional Information Abo This Product:	out N.D.: Not determined.
Company Policy or Disclaimer:	The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.