

Tub4Two Micro Therapy Walk In Bathtub



O2SA3060M-L



O2SA3060M-R

Actual Size: 31.75" W x 60" L x 42" H
 Shipping Size: 34" W x 64" L x 50" H
 Shipping Weight: 380lbs.
 Net Weight: 240lbs.
 Water Capacity: 90 gal. US (unoccupied)
 55-75 gal. US (occupied)
 Approx. Drain Time: +/- 2 minutes (unoccupied bathtub)
 at ideal home plumbing conditions
 Approx. Fill Time: +/- 14 minutes (unoccupied bathtub)
 based on in-house water pressure

Options:

- Left or Right Hinged Door

Included Features:

1. Acrylic Tub Shell:
 - High quality cast acrylic
 - Excellent color uniformity
 - Gloss White Finish
 - Fiberglass Reinforced
2. Low threshold step in 5.5"
3. Stainless Steel Frame with Adjustable Leveling Legs
4. Seat: 19.25" W x 17" H
5. Two (2) front and one (1) end removable access panels
6. MicroBubble Therapy System (10AMP 1,200W)
 - 1HP Pump
 - Pressure Vessel
 - Air Switch and one (1) jet
 - Agitator Valve
7. Five-Piece Ella Faucet Brass Set with Chrome Finish
 - Thermostatic control valve
 - Designer spout
 - Two (2) 2-way diverters with handles
 - Pull out, hand held, chrome plated shower with 5 ft. retractable stainless steel braided hose

Plumbing:

- Two (2) x 5' long stainless steel braided water supply lines with 3/4" IPS connectors
- Two (2) x 2" floor drains with 2 overflows extension handles
- Two (2) PVC 2" drain elbows with 2" opening


Electrical:

Electrical requirement is one dedicated 120 V electrical line with a 20AMP GFCI standard three prong outlet


Warranty:

- Lifetime limited warranty on acrylic walk in tub shell, frame, and door.
- 5 Year parts warranty*
- Thermostatic Control Valve (TCV) 1 year limited warranty

Tub4Two Micro Therapy Walk In Bathtub



Tub4Two Micro Therapy Walk In Bathtub



Disclaimer:
In an effort to continually improve our product, specifications and configurations are subject to change without notice. Be sure ordering or installing, consider future access to essential equipment.