

SAFETY DATA SHEET

Issue Date 31-Jan-2013 Revision Date 05-Apr-2013 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Lifetime Pro Adhesive Sealant

Other Means of Identification

SDS # RD-0098

Product Code 0865, 0866 Series

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Clear Sealant w/ Silicone - Pro Series (applies white, dries clear within 2 weeks).

Details of the Supplier of the Safety Data Sheet

Supplier Address Red Devil, Inc. 4175 Webb Street Pryor, Oklahoma 74361 www.reddevil.com

Emergency Telephone Number

Company Phone Number 918-825-5744

Fax: 918-825-5761

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance White when applied, paste Physical State Smooth paste Odor Mild acrylic, Slight ammoniacal odor

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Acrylic Emulsion	MIXTURE	<95
Acrylic Thickener	MIXTURE	<5
Non-hazardous Ingredients*	Proprietary	<5
Ammonium Hydroxide	7664-41-7	<0.25
Petroleum Hydrocarbon	64742-48-9	<.50

^{*}Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

4. FIRST AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Inhalation Remove to fresh air. If breathing difficult, leave area to obtain fresh air. If breathing remains

difficult, get medical attention.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Seek immediate medical attention/advice.

Ingestion Do not induce vomiting, unless directed by medical personnel. Get immediate medical

attention. If vomiting occurs, keep head low so that stomach content does not get into the

lungs.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If irritation persists, seek medical attention.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms Prolonged or repeated skin contact may result in dermatitis (red, dry skin). Direct contact

with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness and discomfort. Irritating to mouth, throat, and stomach if ingested. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. Overexposure to vapors during application and curing may mildly irritate respiratory tract and result in coughing and

sneezing.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Provide general supportive measures and treat symptomatically. May aggravate

pre-existing skin disorders.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Water spray (fog). Foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is combustible & may ignite if exposed to high temperature or direct flame.

Hazardous Combustion

Products

Carbon oxides. Nitrogen oxides (NOx).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For Emergency Responders Restrict access to spill area.

Environmental PrecautionsMinimize use of water to prevent environmental contamination. Prevent spill or rinse from

contaminating storm drains, sewers, soil or groundwater.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. Use absorbent material to contain spill.

Methods for Cleaning Up Sweep up absorbed material and shovel into suitable containers for disposal. Wash area

with soap and water. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Avoid breathing vapors. Use only with adequate ventilation. Open windows & doors to

ensure fresh air cross-ventilation during application and curing. Wash thoroughly with soap and water after handling. Avoid contact with skin, eyes or clothing. While handling product

keep out of reach of childrens and pets.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Close container after each use. Store containers away from excessive heat & freezing. Do

not store @ temperatures above 120 ° F. To maximize shelf life, store @ temperatures

below 26C (80F).

Incompatible Materials Oxidizers. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Exposure guidelines / protective equipment are for routine handling and accidental spills

Chemic	cal Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ammoniu	n Hydroxide	STEL: 35 ppm	TWA: 50 ppm	IDLH: 300 ppm
766	4-41-7	TWA: 25 ppm	TWA: 35 mg/m ³	TWA: 25 ppm
			(vacated) STEL: 35 ppm	TWA: 18 mg/m ³
			(vacated) STEL: 27 mg/m ³	STEL: 35 ppm
				STEL: 27 mg/m ³

Appropriate Engineering Controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the

exposure limit(s) outlined in the SDS.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection

Use approved safety goggles or safety glasses. If necessary, refer to appropriate

regulations & standards.

Skin and Body Protection Skin: Wear chemical impervious gloves (eq. Nitrile or Neoprene). Use triple gloves for spill

response. If necessary, refer to appropriate regulations & standards.

Body: Use protection appropriate for task (eg: lab coat, coveralls, Tyvek suit). If necessary, refer to OSHA Technical Manual (Sec. VII: Personal Protective Equipment)or appropriate Standards of Canada. Use foot protection, as described in appropriate regulations &

standards.

Respiratory Protection If mists or sprays are created, use appropriate respiratory protection. Oxygen levels below

> 19.5% considered IDLH by OSHA. In such instances, use full-facepiece pressure demand SCBA or a full facepiece, supplied air respirator w/ auxillary self-contained air supply.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Smooth paste

White when applied, paste Odor Mild acrylic, Slight **Appearance** ammoniacal odor

White when applied, dries clear <2 **Odor Threshold** Not determined Color

weeks

Property Values Remarks • Method

pН 7.0-10.0

< 0 °C / <32 °F **Melting Point/Freezing Point**

~98.88-104.44 °C / ~210-220 °F **Boiling Point/Boiling Range**

Flash Point > 93.33 °C / > 200 °F

Evaporation Rate Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Unknown **Lower Flammability Limit** Unknown **Vapor Pressure** Not established **Vapor Density** Heavier than air

Specific Gravity ~1.04-1.08 @ 25 °C (77 °F)

Soluble in water Water Solubility **Solubility in Other Solvents** Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Not determined **Decomposition Temperature** Not determined Not determined **Kinematic Viscosity Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

VOC Content (%) < 0.5 **VOC Content** < 10 g/L

10. STABILITY AND REACTIVITY

Reactivity

Cures upon contact with air.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Incompatible Materials. Excessive heat or cold.

Incompatible Materials

Oxidizers. Strong acids.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation Mildly irritating to respiratory tract.

Eye Contact May cause temporary irritation on eye contact.

Skin Contact Prolonged and frequent contact may cause redness and irritation. Repeated skin contact

may cause dermatitis.

Ingestion May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium Hydroxide 7664-41-7	= 350 mg/kg (Rat)	-	= 5.1 mg/L (Rat) 1 h = 2000 ppm (Rat) 4 h
Petroleum Hydrocarbon 64742-48-9	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Sensitization Not known to be human skin or respiratory sensitizers.

Carcinogenicity Trace residual Formaldehyde present in base emulsion viewed as possible cancer hazard.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

PRACTICES SHOULD BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

Product not tested for aquatic or animal toxicity. Release of product to terrestrial, atmospheric & aquatic environments should be avoided.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ammonium Hydroxide		0.44: 96 h Cyprinus carpio		25.4: 48 h Daphnia magna
7664-41-7		mg/L LC50 0.26 - 4.6: 96 h		mg/L LC50
		Lepomis macrochirus mg/L		
		LC50 1.17: 96 h Lepomis		
		macrochirus mg/L LC50		
		flow-through 0.73 - 2.35: 96		
		h Pimephales promelas		
		mg/L LC50 5.9: 96 h		
		Pimephales promelas mg/L		
		LC50 static 1.5: 96 h		
		Poecilia reticulata mg/L		
		LC50 1.19: 96 h Poecilia		
	1	reticulata mg/L LC50 static		
Petroleum Hydrocarbon		2200: 96 h Pimephales		2.6: 96 h Chaetogammarus
64742-48-9		promelas mg/L LC50		marinus mg/L LC50

Persistence and Degradability

Not tested for persistence & biodegradability

Bioaccumulation

Not tested for bio-accumulation potential

Mobility

Not tested for mobility in soil

tot toolog for mobility in ooil		
Chemical Name	Partition Coefficient	
Ammonium Hydroxide	-1.14	
7664-41-7		

Other Adverse Effects

Environmental Exposure Controls: Should be maintained so as to prevent release to the environment (atmospheric release, release to waterways & spills)

Ozone

Not expected to produce any ozone depletion

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

US EPA Waste Number Not applicable.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Not Determined

TSCA Listed
DSL Listed
NDSL Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Not determined

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ammonium Hydroxide - 7664-41-7	7664-41-7	<0.25	1.0

Acute health hazardYesChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium Hydroxide 7664-41-7	100 lb			Х

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium Hydroxide	100 lb	100 lb	RQ 100 lb final RQ
7664-41-7			RQ 45.4 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Not Determined

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ammonium Hydroxide 7664-41-7	Х	X	X

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards110Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection110Not determined

Issue Date31-Jan-2013Revision Date05-Apr-2013Revision NoteNew format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
